


Figur 8F




Figur 7A

Typ 5M - Pro řemeny HTD 5M (resp. 5RPP) - rozteč 5,0mm / For belts HTD 5M (5RPP) - Pitch 5,0mm

Zubů Teeth	Šíř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
34	15	34-05M-15 TB	8F	ST	1008	54,11	52,97	57,00	43,00	-	20,5	22,0	1,5	0,19
36	15	36-05M-15 TB	8F	ST	1108	57,30	56,16	60,00	44,00	-	20,5	22,0	1,5	0,20
38	15	38-05M-15 TB	8F	ST	1108	69,48	59,34	66,00	48,00	-	20,5	22,0	1,5	0,25
40	15	40-05M-15 TB	8F	ST	1108	63,66	62,52	71,00	52,00	-	20,5	22,0	1,5	0,31
44	15	44-05M-15 TB	8F	ST	1108	70,03	68,89	75,00	54,00	-	20,5	22,0	1,5	0,40
48	15	48-05M-15 TB	8F	ST	1210	76,39	75,25	83,00	64,00	-	20,5	25,0	4,5	0,45
56	15	56-05M-15 TB	8F	ST	1210	89,13	87,99	93,00	70,00	-	20,5	25,0	4,5	0,67
64	15	64-05M-15 TB	8F	ST	1210	101,86	100,72	106,00	78,00	-	20,5	25,0	4,5	0,96
72	15	72-05M-15 TB	8F	ST	1610	114,59	113,45	119,00	90,00	-	20,5	25,0	4,5	1,19
80	15	80-05M-15 TB	8F	ST	1610	127,31	126,18	135,00	92,00	-	20,5	25,0	4,5	1,57
90	15	90-05M-15 TB	7A	ST	1610	143,24	142,10	-	92,00	126,00	20,5	25,0	2,3	1,47
112	15	112-05M-15 TB	7A	ST	1610	178,25	177,11	-	92,00	162,00	20,5	25,0	2,3	1,94
136	15	136-05M-15 TB	7A	ST	2012	216,45	215,31	-	106,00	199,00	20,5	32,0	5,8	3,06
150	15	150-05M-15 TB	7A	ST	2012	238,73	237,59	-	106,00	222,00	20,5	32,0	5,8	3,90


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast



Figur 4F



Figur 3F




Figur 5F

Typ 8M - Pro řemeny HTD 8M (resp. RPP 8) - rozteč 8,0mm / For belts HTD 8M (RPP 8) - Pitch 8,0mm

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
22	20	22-08M-20 TB	5F	ST	1008	56,02	54,65	60,00	-	41,00	28,0	22,0	6,0	0,24
	30	22-08M-30 TB	5F	ST	1008	56,02	54,65	60,00	-	41,00	38,0	22,0	16,0	0,29
24	20	24-08M-20 TB	5F	ST	1108	61,12	59,75	66,00	-	42,00	28,0	22,0	6,0	0,30
	30	24-08M-30 TB	5F	ST	1108	61,12	59,75	66,00	-	42,00	38,0	22,0	16,0	0,38
26	20	26-08M-20 TB	5F	ST	1108	66,21	64,84	71,00	-	46,00	28,0	22,0	6,0	0,36
	30	26-08M-30 TB	5F	ST	1108	66,21	64,84	71,00	-	46,00	38,0	22,0	16,0	0,45
28	20	28-08M-20 TB	5F	ST	1108	71,30	70,08	75,00	-	50,00	28,0	22,0	6,0	0,44
	30	28-08M-30 TB	5F	ST	1210	71,30	70,08	75,00	-	50,00	38,0	25,0	13,0	0,50
	50	28-08M-50 TB	5F	ST	1210	71,30	70,08	75,00	-	50,00	60,0	25,0	35,0	0,60
30	20	30-08M-20 TB	5F	ST	1108	76,39	75,13	83,00	-	58,00	28,0	22,0	6,0	0,53
	30	30-08M-30 TB	5F	ST	1615	76,39	75,13	83,00	-	-	38,0	38,0	-	0,55
	50	30-08M-50 TB	5F	ST	1615	76,39	75,13	83,00	-	58,00	60,0	38,0	22,0	0,65
32	20	32-08M-20 TB	5F	ST	1610	81,49	80,16	87,00	-	62,00	28,0	25,0	3,0	0,42
	30	32-08M-30 TB	3F	ST	1615	81,49	80,16	87,00	-	-	38,0	38,0	-	0,59
	50	32-08M-50 TB	5F	ST	1615	81,49	80,16	87,00	-	62,00	60,0	38,0	22,0	0,82
34	20	34-08M-20 TB	5F	ST	1610	86,58	85,22	91,00	-	65,00	28,0	25,0	3,0	0,55
	30	34-08M-30 TB	3F	ST	1615	86,58	85,22	91,00	-	-	38,0	38,0	-	0,77
	50	34-08M-50 TB	5F	ST	1615	86,58	85,22	91,00	-	65,00	60,0	38,0	22,0	1,06
	85	34-08M-85 TB	4F	ST	1615	86,58	85,22	91,00	-	65,00	95,0	38,0	28,5	1,43
36	20	36-08M-20 TB	5F	ST	1610	91,67	90,30	98,50	-	68,00	28,0	25,0	3,0	0,68
	30	36-08M-30 TB	3F	ST	1615	91,67	90,30	98,50	-	-	38,0	38,0	-	0,96
	50	36-08M-50 TB	5F	ST	1615	91,67	90,30	98,50	-	68,00	60,0	38,0	22,0	1,30
	85	36-08M-85 TB	4F	ST	1615	91,67	90,30	98,50	-	68,00	95,0	38,0	28,5	1,87
38	20	38-08M-20 TB	5F	ST	1610	96,77	95,39	103,00	-	72,00	28,0	25,0	3,0	0,80
	30	38-08M-30 TB	3F	ST	1615	96,77	95,39	103,00	-	-	38,0	38,0	-	1,15
	50	38-08M-50 TB	3F	ST	1615	96,77	95,39	103,00	-	72,00	60,0	38,0	22,0	1,60
	85	38-08M-85 TB	4F	ST	1615	96,77	95,39	103,00	-	72,00	95,0	38,0	28,5	2,20
40	20	40-08M-20 TB	5F	ST	1610	101,86	100,49	106,00	-	76,00	28,0	25,0	3,0	1,00
	30	40-08M-30 TB	3F	ST	1615	101,86	100,49	106,00	-	-	38,0	38,0	-	1,34
	50	40-08M-50 TB	4F	ST	2012	101,86	100,49	106,00	-	82,00	60,0	32,0	14,0	1,71
	85	40-08M-85 TB	4F	ST	2012	101,86	100,49	106,00	-	82,00	95,0	32,0	31,5	1,80
44	20	44-08M-20 TB	8F	ST	2012	112,05	110,67	119,00	93,00	-	28,0	32,0	4,0	1,20
	30	44-08M-30 TB	4F	ST	2012	112,05	110,67	119,00	-	91,00	38,0	32,0	3,0	1,33
	50	44-08M-50 TB	4F	ST	2012	112,05	110,67	119,00	-	91,00	60,0	32,0	14,0	1,78
	85	44-08M-85 TB	4F	ST	2012	112,05	110,67	119,00	-	91,00	95,0	32,0	31,5	2,30
48	20	48-08M-20 TB	8F	ST	2012	122,23	120,86	127,00	96,00	-	28,0	32,0	4,0	1,60
	30	48-08M-30 TB	4F	ST	2012	122,23	120,86	127,00	-	95,00	38,0	32,0	3,0	1,78
	50	48-08M-50 TB	4F	ST	2012	122,23	120,86	127,00	-	96,00	60,0	32,0	14,0	2,30
	85	48-08M-85 TB	4F	ST	2517	122,23	120,86	127,00	-	100,00	95,0	45,0	25,0	2,66
56	20	56-08M-20 TB	8F	ST	2012	142,60	141,23	148,00	110,00	-	28,0	32,0	4,0	2,40
	30	56-08M-30 TB	4F	ST	2012	142,60	141,23	148,00	-	117,00	38,0	32,0	3,0	3,76
	50	56-08M-50 TB	4F	ST	2517	142,60	141,23	148,00	-	116,00	60,0	45,0	7,5	3,40
	85	56-08M-85 TB	4F	ST	2517	142,60	141,23	148,00	-	117,00	95,0	45,0	25,0	4,45


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast




Figur 4

Figur 4F


Figur 8F



Figur 8W




Figur 8WF




Figur 8A



Figur 9A



Figur 9W




Figur 7A

Typ 8M - Pro řemeny HTD 8M (resp. RPP 8) - rozteč 8,0mm / For belts HTD 8M (RPP 8) - Pitch 8,0mm

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
64	20	64-08M-20 TB	8WF	ST	2012	162,97	161,60	168,00	110,00	137,00	28,0	32,0	4,0	2,70
	30	64-08M-30 TB	8F	ST	2517	162,97	161,60	168,00	125,00		38,0	45,0	7,0	4,20
	50	64-08M-50 TB	4F	ST	2517	162,97	161,60	168,00	-	137,00	60,0	45,0	7,5	5,00
	85	64-08M-85 TB	4F	ST	2517	162,97	161,60	168,00	-	137,00	95,0	45,0	25,0	6,20
72	20	72-08M-20 TB	8WF	ST	2012	183,35	181,97	192,00	110,00	158,00	28,0	32,0	4,0	3,30
	30	72-08M-30 TB	8WF	ST	2517	183,35	181,97	192,00	125,00	158,00	38,0	45,0	7,0	4,30
	50	72-08M-50 TB	4F	ST	2517	183,35	181,97	192,00	125,00	158,00	60,0	45,0	7,5	6,70
	85	72-08M-85 TB	4F	ST	3020	183,35	181,97	192,00	-	158,00	95,0	51,0	22,0	8,00
80	20	80-08M-20 TB	8W	GG	2012	203,72	202,35	-	110,00	180,00	28,0	32,0	4,0	3,50
	30	80-08M-30 TB	8W	GG	2517	203,72	202,35	-	125,00	180,00	38,0	45,0	7,0	4,60
	50	80-08M-50 TB	4	GG	3020	203,72	202,35	-	-	180,00	60,0	51,0	4,5	8,80
	85	80-08M-85 TB	4	GG	3020	203,72	202,35	-	-	180,00	95,0	51,0	22,0	10,00
90	20	90-08M-20 TB	8A	GG	2012	229,18	227,81	-	110,00	204,00	28,0	32,0	4,0	3,65
	30	90-08M-30 TB	8A	GG	2517	229,18	227,81	-	125,00	204,00	38,0	45,0	7,0	5,00
	50	90-08M-50 TB	9W	GG	3020	229,18	227,81	-	170,00	204,00	60,0	51,0	4,5	10,00
	85	90-08M-85 TB	9W	GG	3020	229,18	227,81	-	170,00	204,00	95,0	51,0	22,0	10,80
112	30	112-08M-30 TB	8A	GG	2517	285,21	283,83	-	125,00	260,00	38,0	45,0	7,0	6,20
	50	112-08M-50 TB	9W	GG	3020	285,21	283,83	-	170,00	260,00	60,0	51,0	4,5	12,00
	85	112-08M-85 TB	9W	GG	3020	285,21	283,83	-	170,00	260,00	95,0	51,0	22,0	15,00
144	30	144-08M-30 TB	8A	GG	2517	366,69	365,32	-	125,00	341,00	38,0	45,0	7,0	9,00
	50	144-08M-50 TB	9A	GG	3020	366,69	365,32	-	170,00	341,00	60,0	51,0	4,5	15,20
	85	144-08M-85 TB	9A	GG	3525	366,69	365,32	-	190,00	341,00	95,0	65,0	15,0	20,00
168	50	168-08M-50 TB	7A	GG	3525	427,81	426,44	-	190,00	402,00	60,0	65,0	2,5	16,40
	85	168-08M-85 TB	9A	GG	3525	427,81	426,44	-	190,00	402,00	95,0	65,0	15,0	23,00
192	50	192-08M-50 TB	7A	GG	3525	488,92	487,55	-	190,00	460,00	60,0	65,0	2,5	21,80
	85	192-08M-85 TB	9A	GG	3525	488,92	487,55	-	190,00	460,00	95,0	65,0	15,0	28,50

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast




Figur 4F

Figur 4WF/9WF




Typ 14M - Pro řemeny HTD 14M (resp. RPP 14) - rozteč 14,0mm / For belts HTD 14M (RPP 14) - Pitch 14,0mm


Zubů Teeth	Šif.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
28	40	28-14M-40 TB	4F	ST	2012	124,78	122,12	127,00	-	98,00	54,0	32,0	11,0	2,07
	55	28-14M-55 TB	4F	ST	2012	124,78	122,12	127,00	-	98,00	70,0	32,0	19,0	2,20
	85	28-14M-85 TB	4F	ST	2517	124,78	122,12	127,00	-	98,00	102,0	45,0	28,5	2,70
	115	28-14M-115 TB	4F	ST	2517	124,78	122,12	127,00	-	98,00	133,0	45,0	44,0	3,77
29	40	29-14M-40 TB	4F	ST	2012	129,23	126,57	138,00	-	100,00	54,0	32,0	11,0	2,38
	55	29-14M-55 TB	4F	ST	2012	129,23	126,57	138,00	-	100,00	70,0	32,0	19,0	2,74
	85	29-14M-85 TB	4F	ST	2517	129,23	126,57	138,00	-	100,00	102,0	45,0	28,5	3,40
	115	29-14M-115 TB	4F	ST	2517	129,23	126,57	138,00	-	100,00	133,0	45,0	44,0	4,00
30	40	30-14M-40 TB	4F	ST	2012	133,69	130,99	138,00	-	100,00	54,0	32,0	11,0	2,65
	55	30-14M-55 TB	4F	ST	2517	133,69	130,99	138,00	-	100,00	70,0	45,0	12,5	2,70
	85	30-14M-85 TB	4F	ST	2517	133,69	130,99	138,00	-	100,00	102,0	45,0	28,5	3,75
	115	30-14M-115 TB	4F	ST	2517	133,69	130,99	138,00	-	100,00	133,0	45,0	44,0	5,00
32	40	32-14M-40 TB	4F	ST	2012	142,60	139,88	154,00	-	104,00	54,0	32,0	11,0	3,40
	55	32-14M-55 TB	4F	ST	2517	142,60	139,88	154,00	-	108,00	70,0	45,0	12,5	3,66
	85	32-14M-85 TB	4F	ST	2517	142,60	139,88	154,00	-	108,00	102,0	45,0	28,5	4,80
	115	32-14M-115 TB	4F	ST	2517	142,60	139,88	154,00	-	108,00	133,0	45,0	44,0	6,80
34	40	34-14M-40 TB	4F	ST	2517	151,52	148,79	160,00	-	110,00	54,0	45,0	4,5	3,87
	55	34-14M-55 TB	4F	ST	2517	151,52	148,79	160,00	-	110,00	70,0	45,0	12,5	4,55
	85	34-14M-85 TB	4F	ST	2517	151,52	148,79	160,00	-	110,00	102,0	45,0	28,5	6,00
	115	34-14M-115 TB	4F	ST	2517	151,52	148,79	160,00	-	110,00	133,0	45,0	44,0	6,80
36	40	36-14M-40 TB	4F	ST	2517	160,43	157,68	168,00	-	120,00	54,0	45,0	4,5	4,80
	55	36-14M-55 TB	4F	ST	2517	160,43	157,68	168,00	-	120,00	70,0	45,0	12,5	5,20
	85	36-14M-85 TB	4F	ST	3020	160,43	157,68	168,00	-	125,00	102,0	51,0	25,5	5,80
	115	36-14M-115 TB	4F	ST	3020	160,43	157,68	168,00	-	125,00	133,0	51,0	41,0	7,00
38	40	38-14M-40 TB	4F	ST	2517	169,34	166,60	183,00	-	130,00	54,0	45,0	4,5	5,40
	55	38-14M-55 TB	4F	ST	2517	169,34	166,60	183,00	-	130,00	70,0	45,0	12,5	6,20
	85	38-14M-85 TB	4F	ST	3020	169,34	166,60	183,00	-	130,00	102,0	51,0	25,5	6,80
	115	38-14M-115 TB	4F	ST	3020	169,34	166,60	183,00	-	130,00	133,0	51,0	41,0	8,40
	170	38-14M-170 TB	4F	ST	3030	169,34	166,60	183,00	-	130,00	187,0	76,0	55,5	11,70
40	40	40-14M-40 TB	4F	ST	2517	178,25	175,49	188,00	-	138,00	54,0	45,0	4,5	6,00
	55	40-14M-55 TB	4F	ST	2517	178,25	175,49	188,00	-	138,00	70,0	45,0	12,5	7,00
	85	40-14M-85 TB	4F	ST	3020	178,25	175,49	188,00	-	138,00	102,0	51,0	25,5	8,00
	115	40-14M-115 TB	4F	ST	3020	178,25	175,49	188,00	-	140,00	133,0	51,0	41,0	9,20
	170	40-14M-170 TB	4F	ST	3030	178,25	175,49	188,00	-	140,00	187,0	76,0	55,5	13,00
44	40	44-14M-40 TB	4F	ST	3020	196,08	193,28	211,00	-	155,00	54,0	51,0	1,5	7,80
	55	44-14M-55 TB	4F	ST	3020	196,08	193,28	211,00	-	155,00	70,0	51,0	9,5	8,60
	85	44-14M-85 TB	4F	ST	3030	196,08	193,28	211,00	-	155,00	102,0	76,0	13,0	11,80
	115	44-14M-115 TB	4F	ST	3030	196,08	193,28	211,00	-	155,00	133,0	76,0	28,5	14,00
	170	44-14M-170 TB	4F	ST	3535	196,08	193,28	211,00	-	155,00	187,0	89,0	49,0	15,00
48	40	48-14M-40 TB	4F	ST	3020	213,90	211,11	226,00	-	170,00	54,0	51,0	1,5	9,40
	55	48-14M-55 TB	4F	ST	3020	213,90	211,11	226,00	-	170,00	70,0	51,0	9,5	10,40
	85	48-14M-85 TB	4F	ST	3030	213,90	211,11	226,00	-	170,00	102,0	46,0	13,0	15,10
	115	48-14M-115 TB	4F	ST	3030	213,90	211,11	226,00	-	170,00	133,0	76,0	28,5	17,10
	170	48-14M-170 TB	4F	ST	3535	213,90	211,11	226,00	-	175,00	187,0	89,0	49,0	19,00
56	40	56-14M-40 TB	9WF	ST	3020	249,55	246,76	256,00	170,00	208,00	54,0	51,0	1,5	10,80
	55	56-14M-55 TB	9WF	ST	3020	249,55	246,76	256,00	170,00	208,00	70,0	51,0	9,5	12,00
	85	56-14M-85 TB	4F	ST	3525	249,55	246,76	256,00	190,00	210,00	102,0	65,0	18,5	19,00
	115	56-14M-115 TB	4F	ST	3535	249,55	246,76	256,00	-	210,00	133,0	89,0	22,0	24,80
	170	56-14M-170 TB	4F	ST	3535	249,55	246,76	256,00	-	210,00	187,0	89,0	49,0	28,50




Figur 4F



Figur 4WF/9WF



Figur 9A



Figur 9W



Typ 14M - Pro řemeny HTD 14M (resp. RPP 14) - rozteč 14,0mm / For belts HTD 14M (RPP 14) - Pitch 14,0mm

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
64	40	64-14M-40 TB	9WF	GG	3020	285,21	282,41	296,00	170,00	242,00	54,0	51,0	1,5	13,40
	55	64-14M-55 TB	9WF	GG	3020	285,21	282,41	296,00	170,00	242,00	70,0	51,0	9,5	14,50
	85	64-14M-85 TB	9WF	GG	3525	285,21	282,41	296,00	190,00	242,00	102,0	65,0	18,5	23,00
	115	64-14M-115 TB	9WF	GG	3535	285,21	282,41	296,00	190,00	242,00	133,0	89,0	22,0	27,00
	170	64-14M-170 TB	4F	GG	4040	285,21	282,41	296,00	-	240,00	187,0	102,0	42,5	41,00
72	40	72-14M-40 TB	9W	GG	3020	320,86	318,06	-	170,00	280,00	54,0	51,0	1,5	15,20
	55	72-14M-55 TB	9W	GG	3020	320,86	318,06	-	170,00	280,00	70,0	51,0	9,5	16,20
	85	72-14M-85 TB	9W	GG	3525	320,86	318,06	-	190,00	280,00	102,0	65,0	18,5	25,00
	115	72-14M-115 TB	9W	GG	3535	320,86	318,06	-	190,00	280,00	133,0	89,0	22,0	29,00
	170	72-14M-170 TB	9W	GG	4040	320,86	318,06	-	230,00	280,00	187,0	102,0	42,5	46,90
80	40	80-14M-40 TB	9A	GG	3020	356,51	353,71	-	170,00	315,00	54,0	51,0	1,5	16,00
	55	80-14M-55 TB	9A	GG	3020	356,51	353,71	-	170,00	315,00	70,0	51,0	9,5	17,50
	85	80-14M-85 TB	9A	GG	3525	356,51	353,71	-	190,00	315,00	102,0	65,0	18,5	26,00
	115	80-14M-115 TB	9A	GG	3535	356,51	353,71	-	190,00	315,00	133,0	89,0	22,0	32,00
	170	80-14M-170 TB	9W	GG	4040	356,51	353,71	-	230,00	315,00	187,0	102,0	42,5	48,00
90	40	90-14M-40 TB	9A	GG	3020	401,07	398,28	-	170,00	360,00	54,0	51,0	1,5	17,80
	55	90-14M-55 TB	9A	GG	3020	401,07	398,28	-	170,00	360,00	70,0	51,0	9,5	20,10
	85	90-14M-85 TB	9A	GG	3525	401,07	398,28	-	190,00	360,00	102,0	65,0	18,5	27,80
	115	90-14M-115 TB	9A	GG	3535	401,07	398,28	-	190,00	360,00	133,0	89,0	22,0	36,50
	170	90-14M-170 TB	9A	GG	4040	401,07	398,28	-	230,00	360,00	187,0	102,0	42,5	52,50
112	40	112-14M-40 TB	9A	GG	3020	499,11	496,32	-	170,00	457,00	54,0	51,0	1,5	25,60
	55	112-14M-55 TB	9A	GG	3020	499,11	496,32	-	170,00	457,00	70,0	51,0	9,5	28,40
	85	112-14M-85 TB	9A	GG	3525	499,11	496,32	-	190,00	457,00	102,0	65,0	18,5	36,50
	115	112-14M-115 TB	9A	GG	3535	499,11	496,32	-	190,00	457,00	133,0	89,0	22,0	46,00
	170	112-14M-170 TB	9A	GG	5050	499,11	496,32	-	265,00	456,00	187,0	127,0	30,0	74,50
144	40	144-14M-40 TB	9A	GG	3020	641,71	638,92	-	170,00	600,00	54,0	51,0	1,5	32,00
	55	144-14M-55 TB	9A	GG	3020	641,71	638,92	-	170,00	600,00	70,0	51,0	9,5	36,20
	85	144-14M-85 TB	9A	GG	3525	641,71	638,92	-	190,00	600,00	102,0	65,0	18,5	48,00
	115	144-14M-115 TB	9A	GG	4040	641,71	638,92	-	230,00	600,00	133,0	102,0	15,5	68,00
	170	144-14M-170 TB	9A	GG	5050	641,71	638,92	-	265,00	600,00	187,0	127,0	30,0	91,00
168	40	168-14M-40 TB	9A	GG	3020	748,66	745,87	-	170,00	706,00	54,0	51,0	1,5	44,00
	55	168-14M-55 TB	9A	GG	3020	748,66	745,87	-	170,00	706,00	70,0	51,0	9,5	49,00
	85	168-14M-85 TB	9A	GG	3525	748,66	745,87	-	190,00	706,00	102,0	65,0	18,5	60,00
	115	168-14M-115 TB	9A	GG	4040	748,66	745,87	-	230,00	706,00	133,0	102,0	15,5	82,60
	170	168-14M-170 TB	9A	GG	5050	748,66	745,87	-	265,00	706,00	187,0	127,0	30,0	116,00
192	40	192-14M-40 TB	9A	GG	3020	855,62	852,82	-	170,00	813,00	54,0	51,0	1,5	49,00
	55	192-14M-55 TB	9A	GG	3020	855,62	852,82	-	170,00	813,00	70,0	51,0	9,5	53,00
	85	192-14M-85 TB	3A	GG	4040	855,62	852,82	-	230,00	813,00	102,0	102,0	-	86,00
	115	192-14M-115 TB	9A	GG	4040	855,62	852,82	-	230,00	813,00	133,0	102,0	15,5	86,00
	170	192-14M-170 TB	9A	GG	5050	855,62	852,82	-	265,00	813,00	187,0	127,0	30,0	134,00
216	40	216-14M-40 TB	9A	GG	3020	962,57	959,76	-	170,00	920,00	54,0	51,0	1,5	55,00
	55	216-14M-55 TB	7A	GG	3535	962,57	959,76	-	190,00	920,00	70,0	89,0	9,5	65,80
	85	216-14M-85 TB	3A	GG	4040	962,57	959,76	-	230,00	920,00	102,0	102,0	-	91,50
	115	216-14M-115 TB	9A	GG	4040	962,57	959,76	-	230,00	920,00	133,0	102,0	15,5	107,00
	170	216-14M-170 TB	9A	GG	5050	962,57	959,76	-	265,00	920,00	187,0	127,0	30,0	146,50

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast