



Typ SPZ - pro řemeny SPZ, XPZ, 3V, 3VX, Z/10, ZX/10 / For belts SPZ, XPZ, 3V, 3VX, Z/10, ZX/10

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
45	1	SPZ045-01 STAND	2	16	8	24	30	0,2
	2	SPZ045-02 STAND	2	28	7	35	30	0,3
	3	SPZ045-03 STAND	5	40	5	35	30	0,4
50	1	SPZ050-01 STAND	2	16	8	24	30	0,3
	2	SPZ050-02 STAND	2	28	7	35	30	0,4
	3	SPZ050-03 STAND	1	40	-	40	30	0,5
56	1	SPZ056-01 STAND	2	16	8	24	35	0,3
	2	SPZ056-02 STAND	2	28	7	35	35	0,4
	3	SPZ056-03 STAND	1	40	-	40	35	0,6
63	1	SPZ063-01 STAND	2	16	8	24	42	0,3
	2	SPZ063-02 STAND	2	28	7	35	42	0,6
	3	SPZ063-03 STAND	1	40	-	40	42	0,8
71	1	SPZ071-01 STAND	2	16	8	24	42	0,3
	2	SPZ071-02 STAND	2	28	7	35	42	0,6
	3	SPZ071-03 STAND	1	40	-	40	50	1,0
75	1	SPZ075-01 STAND	2	16	8	24	42	0,3
	2	SPZ075-02 STAND	2	28	7	35	42	0,6
	3	SPZ075-03 STAND	1	40	-	40	50	1,0
80	1	SPZ080-01 STAND	2	16	8	24	42	0,3
	2	SPZ080-02 STAND	2	28	7	35	50	0,6
	3	SPZ080-03 STAND	5	40	5	35	50	1,1
85	1	SPZ085-01 STAND	2	16	8	24	42	0,3
	2	SPZ085-02 STAND	2	28	7	35	50	0,7
	3	SPZ085-03 STAND	5	40	5	35	50	1,1
90	1	SPZ090-01 STAND	2	16	8	24	42	0,3
	2	SPZ090-02 STAND	2	28	7	35	50	0,7
	3	SPZ090-03 STAND	5	40	2	38	60	1,1
95	1	SPZ095-01 STAND	2	16	8	24	50	0,4
	2	SPZ095-02 STAND	2	28	7	35	50	0,8
	3	SPZ095-03 STAND	5	40	2	38	60	1,2
100	1	SPZ100-01 STAND	2	16	8	24	50	0,4
	2	SPZ100-02 STAND	2	28	7	35	50	0,9
	3	SPZ100-03 STAND	5	40	2	38	60	1,2
106	1	SPZ106-01 STAND	2	16	8	24	55	0,5
	2	SPZ106-02 STAND	2	28	7	35	50	0,9
	3	SPZ106-03 STAND	5	40	2	38	60	1,3
112	1	SPZ112-01 STAND	2	16	8	24	50	0,5
	2	SPZ112-02 STAND	2	28	7	35	60	1,0
	3	SPZ112-03 STAND	5	40	2	38	60	1,4
118	1	SPZ118-01 STAND	2	16	8	24	50	0,6
	2	SPZ118-02 STAND	2	28	7	35	60	1,1
	3	SPZ118-03 STAND	5	40	2	38	60	1,4
125	1	SPZ125-01 STAND	2	16	8	24	50	0,7
	2	SPZ125-02 STAND	2	28	7	35	60	1,2
	3	SPZ125-03 STAND	1	40	-	40	65	1,5




Typ SPZ - pro řemeny SPZ, XPZ, 3V, 3VX, Z/10, ZX/10 / For belts SPZ, XPZ, 3V, 3VX, Z/10, ZX/10


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
132	1	SPZ132-01 STAND	2	16	8	24	55	0,8
	2	SPZ132-02 STAND	2	28	7	35	60	1,3
	3	SPZ132-03 STAND	1	40	-	40	65	1,6
140	1	SPZ140-01 STAND	2	16	8	24	55	0,9
	2	SPZ140-02 STAND	2	28	10	38	65	1,4
	3	SPZ140-03 STAND	1	40	-	40	65	1,6
150	1	SPZ150-01 STAND	2	16	8	24	55	1,0
	2	SPZ150-02 STAND	2	28	10	38	65	1,5
	3	SPZ150-03 STAND	1	40	-	40	65	1,8
160	1	SPZ160-01 STAND	2	16	14	30	60	1,2
	2	SPZ160-02 STAND	2	28	10	38	65	1,6
	3	SPZ160-03 STAND	1	40	-	40	70	2,4
170	1	SPZ170-01 STAND	2	16	14	30	60	1,6
	2	SPZ170-02 STAND	2	28	10	38	65	1,8
	3	SPZ170-03 STAND	1	40	-	40	70	3,0
180	1	SPZ180-01 STAND	2	16	14	30	60	2,1
	2	SPZ180-02 STAND	2	28	10	38	65	2,0
	3	SPZ180-03 STAND	1	40	-	40	70	3,5
190	1	SPZ190-01 STAND	2	16	14	30	65	2,2
	2	SPZ190-02 STAND	2	28	10	38	65	2,3
	3	SPZ190-03 STAND	1	40	-	40	70	4,0
200	1	SPZ200-01 STAND	2	16	22	38	65	2,4
	2	SPZ200-02 STAND	2	28	10	38	65	2,8
	3	SPZ200-03 STAND	1	40	-	40	75	4,4
212	1	SPZ212-01 STAND	2	16	14	30	65	2,6
	2	SPZ212-02 STAND	2	28	10	38	65	3,4
	3	SPZ212-03 STAND	1	40	-	40	75	5,0
225	1	SPZ225-01 STAND	2	16	22	38	70	2,8
	2	SPZ225-02 STAND	2	28	10	38	70	4,0
	3	SPZ225-03 STAND	1	40	-	40	75	5,3
250	1	SPZ250-01 STAND	2	16	22	38	70	3,3
	2	SPZ250-02 STAND	2	28	10	38	70	4,8
	3	SPZ250-03 STAND	1	40	-	40	75	6,0
280	1	SPZ280-01 STAND	2	16	18	34	70	3,8
	2	SPZ280-02 STAND	2	28	10	38	70	5,2
	3	SPZ280-03 STAND	1	40	-	40	80	7,0
315	1	SPZ315-01 STAND	2	16	18	34	70	4,3
	2	SPZ315-02 STAND	2	28	10	38	75	6,8
	3	SPZ315-03 STAND	1	40	-	40	80	8,2
355	1	SPZ355-01 STAND	2	16	18	34	70	4,6
	2	SPZ355-02 STAND	2	28	12	40	75	8,0
	3	SPZ355-03 STAND	2	40	5	45	85	10,0
400	2	SPZ400-02 STAND	2	28	12	40	80	10,0
	3	SPZ400-03 STAND	2	40	5	45	85	11,7



Figur 1




Figur 2




Figur 5

Typ SPA - pro řemeny SPA, XPA, A/13, AX/13 / For belts SPA, XPA, A/13, AX/13


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
40	1	SPA040-01 STAND	2	20	14	34	35	0,2
	2	SPA040-02 STAND	2	35	14	49	35	0,3
50	1	SPA050-01 STAND	2	20	14	34	35	0,3
	2	SPA050-02 STAND	2	35	14	49	35	0,4
	3	SPA050-03 STAND	5	50	3	47	35	0,5
56	1	SPA056-01 STAND	2	20	14	34	35	0,4
	2	SPA056-02 STAND	2	35	14	49	35	0,6
	3	SPA056-03 STAND	5	50	3	47	35	0,7
63	1	SPA063-01 STAND	2	20	14	34	42	0,5
	2	SPA063-02 STAND	2	35	14	49	42	0,7
	3	SPA063-03 STAND	5	50	3	47	42	0,8
	4	SPA063-04 STAND	5	67	7	60	45	1,2
	5	SPA063-05 STAND	5	82	12	70	50	1,4
71	1	SPA071-01 STAND	2	20	14	34	42	0,5
	2	SPA071-02 STAND	2	35	14	49	42	0,8
	3	SPA071-03 STAND	5	50	8	42	42	0,9
	4	SPA071-04 STAND	5	67	7	60	45	1,4
	5	SPA071-05 STAND	5	82	12	70	50	1,8
75	1	SPA075-01 STAND	2	20	14	34	42	0,5
	2	SPA075-02 STAND	2	35	14	49	42	1,0
	3	SPA075-03 STAND	5	50	8	42	46	1,0
	4	SPA075-04 STAND	5	67	7	60	45	1,7
	5	SPA075-05 STAND	1	82	-	82	50	1,9
80	1	SPA080-01 STAND	2	20	14	34	42	0,5
	2	SPA080-02 STAND	2	35	14	49	42	1,0
	3	SPA080-03 STAND	5	50	8	42	46	1,1
	4	SPA080-04 STAND	5	67	7	60	50	1,8
	5	SPA080-05 STAND	5	82	27	55	55	2,0
85	1	SPA085-01 STAND	2	20	14	34	42	0,6
	2	SPA085-02 STAND	2	35	14	49	50	1,2
	3	SPA085-03 STAND	5	50	8	42	50	1,4
	4	SPA085-04 STAND	5	67	14	53	50	1,9
	5	SPA085-05 STAND	5	82	27	55	55	2,2
90	1	SPA090-01 STAND	2	20	14	34	50	0,8
	2	SPA090-02 STAND	2	35	14	49	50	1,4
	3	SPA090-03 STAND	5	50	8	42	52	1,6
	4	SPA090-04 STAND	5	67	14	53	50	2,2
	5	SPA090-05 STAND	5	82	15	67	55	2,5
95	1	SPA095-01 STAND	2	20	14	34	50	0,7
	2	SPA095-02 STAND	2	35	14	49	50	1,5
	3	SPA095-03 STAND	5	50	8	42	52	1,8
	4	SPA095-04 STAND	5	67	14	53	55	2,4
	5	SPA095-05 STAND	5	82	15	67	60	2,7
100	1	SPA100-01 STAND	2	20	14	34	50	0,8
	2	SPA100-02 STAND	2	35	14	49	50	1,3
	3	SPA100-03 STAND	5	50	8	42	52	1,9
	4	SPA100-04 STAND	5	67	14	53	55	2,7
	5	SPA100-05 STAND	5	82	22	60	60	3,1



Figur 1






Figur 2



Figur 5


Typ SPA - pro řemeny SPA, XPA, A/13, AX/13 / For belts SPA, XPA, A/13, AX/13

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
106	1	SPA106-01 STAND	2	20	14	34	50	0,8
	2	SPA106-02 STAND	2	35	14	49	50	1,6
	3	SPA106-03 STAND	5	50	8	42	55	2,2
	4	SPA106-04 STAND	5	67	14	53	55	3,2
	5	SPA106-05 STAND	5	82	22	60	60	3,8
112	1	SPA112-01 STAND	2	20	14	34	50	1,0
	2	SPA112-02 STAND	2	35	14	49	50	1,7
	3	SPA112-03 STAND	5	50	8	42	55	2,3
	4	SPA112-04 STAND	5	67	14	53	55	3,3
	5	SPA112-05 STAND	5	82	22	60	60	3,9
118	1	SPA118-01 STAND	2	20	14	34	50	1,1
	2	SPA118-02 STAND	2	35	14	49	60	1,8
	3	SPA118-03 STAND	5	50	8	42	60	2,4
	4	SPA118-04 STAND	5	67	14	53	55	3,4
	5	SPA118-05 STAND	5	82	17	65	60	4,1
125	1	SPA125-01 STAND	2	20	14	34	55	1,3
	2	SPA125-02 STAND	2	35	14	49	60	1,9
	3	SPA125-03 STAND	5	50	8	42	60	2,5
	4	SPA125-04 STAND	5	67	14	53	60	3,4
	5	SPA125-05 STAND	5	82	17	65	65	4,4
132	1	SPA132-01 STAND	2	20	14	34	55	1,4
	2	SPA132-02 STAND	2	35	14	49	60	2,2
	3	SPA132-03 STAND	5	50	8	42	60	2,5
	4	SPA132-04 STAND	5	67	14	53	60	3,5
	5	SPA132-05 STAND	5	82	17	65	65	4,7
140	1	SPA140-01 STAND	2	20	14	34	60	1,5
	2	SPA140-02 STAND	2	35	14	49	60	2,3
	3	SPA140-03 STAND	5	50	8	42	60	2,6
	4	SPA140-04 STAND	5	67	14	53	60	3,6
	5	SPA140-05 STAND	5	82	17	65	65	4,9
150	1	SPA150-01 STAND	2	20	16	36	60	1,6
	2	SPA150-02 STAND	2	35	14	49	60	2,5
	3	SPA150-03 STAND	5	50	8	42	60	2,9
	4	SPA150-04 STAND	5	67	14	53	60	4,0
	5	SPA150-05 STAND	5	82	17	65	65	5,1
160	1	SPA160-01 STAND	2	20	16	36	60	1,7
	2	SPA160-02 STAND	2	35	14	49	60	2,4
	3	SPA160-03 STAND	5	50	8	42	60	2,8
	4	SPA160-04 STAND	5	67	7	60	60	3,6
	5	SPA160-05 STAND	5	82	12	70	65	5,4
170	1	SPA170-01 STAND	2	20	16	36	60	2,0
	2	SPA170-02 STAND	2	35	14	49	60	2,9
	3	SPA170-03 STAND	5	50	8	42	60	3,2
	4	SPA170-04 STAND	5	67	7	60	60	4,2
	5	SPA170-05 STAND	5	82	12	70	65	5,8




Typ SPA - pro řemeny SPA, XPA, A/13, AX/13 / For belts SPA, XPA, A/13, AX/13

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
180	1	SPA180-01 STAND	2	20	16	36	65	2,0
	2	SPA180-02 STAND	2	35	14	49	63	3,1
	3	SPA180-03 STAND	5	50	8	42	70	3,6
	4	SPA180-04 STAND	5	67	7	60	70	4,6
	5	SPA180-05 STAND	5	82	12	70	75	6,1
190	1	SPA190-01 STAND	2	20	16	36	65	2,0
	2	SPA190-02 STAND	2	35	14	49	70	3,2
	3	SPA190-03 STAND	5	50	8	42	70	4,0
	4	SPA190-04 STAND	5	67	7	60	75	5,2
	5	SPA190-05 STAND	5	82	12	70	75	6,3
200	1	SPA200-01 STAND	2	20	16	36	70	2,4
	2	SPA200-02 STAND	2	35	14	49	75	2,8
	3	SPA200-03 STAND	5	50	8	42	75	4,2
	4	SPA200-04 STAND	5	67	7	60	70	4,9
	5	SPA200-05 STAND	5	82	12	70	75	6,4
212	1	SPA212-01 STAND	2	20	16	36	70	2,7
	2	SPA212-02 STAND	2	35	14	49	75	3,4
	3	SPA212-03 STAND	5	50	8	42	75	4,4
	4	SPA212-04 STAND	5	67	7	60	70	5,6
	5	SPA212-05 STAND	5	82	12	70	75	6,8
225	1	SPA225-01 STAND	2	20	16	36	70	2,7
	2	SPA225-02 STAND	2	35	14	49	75	3,8
	3	SPA225-03 STAND	5	50	8	42	75	4,6
	4	SPA225-04 STAND	5	67	7	60	75	6,5
	5	SPA225-05 STAND	5	82	12	70	75	7,2
236	1	SPA236-01 STAND	2	20	16	36	70	3,3
	2	SPA236-02 STAND	2	35	14	49	75	4,1
	3	SPA236-03 STAND	5	50	3	47	75	4,9
	4	SPA236-04 STAND	5	67	7	60	80	6,2
	5	SPA236-05 STAND	5	82	12	70	80	7,5
250	1	SPA250-01 STAND	2	20	16	36	75	3,4
	2	SPA250-02 STAND	2	35	14	49	75	4,3
	3	SPA250-03 STAND	5	50	3	47	80	5,3
	4	SPA250-04 STAND	5	67	7	60	80	7,0
	5	SPA250-05 STAND	5	82	12	70	80	7,8
280	1	SPA280-01 STAND	2	20	24	44	75	3,9
	2	SPA280-02 STAND	2	35	18	53	75	5,3
	3	SPA280-03 STAND	5	50	3	47	80	6,5
	4	SPA280-04 STAND	5	67	7	60	85	8,5
	5	SPA280-05 STAND	5	82	12	70	85	9,9
300	1	SPA300-01 STAND	2	20	24	44	80	4,2
	2	SPA300-02 STAND	2	35	18	53	80	5,9
	3	SPA300-03 STAND	5	50	3	47	85	7,5
	4	SPA300-04 STAND	5	67	7	60	90	9,8
	5	SPA300-05 STAND	5	82	12	70	90	11,3




Typ SPA - pro řemeny SPA, XPA, A/13, AX/13 / For belts SPA, XPA, A/13, AX/13

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
315	1	SPA315-01 STAND	2	20	24	44	80	4,7
	2	SPA315-02 STAND	2	35	18	53	80	6,6
	3	SPA315-03 STAND	5	50	3	47	85	8,7
	4	SPA315-04 STAND	5	67	7	60	90	11,1
	5	SPA315-05 STAND	5	82	12	70	90	12,5
355	1	SPA355-01 STAND	2	20	24	44	80	5,5
	2	SPA355-02 STAND	2	35	18	53	85	7,7
	3	SPA355-03 STAND	5	50	3	47	90	9,5
	4	SPA355-04 STAND	5	67	7	60	90	11,8
	5	SPA355-05 STAND	5	82	12	70	95	13,8
400	1	SPA400-01 STAND	2	22	28	50	85	6,7
	2	SPA400-02 STAND	2	37	16	53	85	9,0
	3	SPA400-03 STAND	5	52	5	47	95	12,2
	4	SPA400-04 STAND	1	67	0	67	95	15,4
	5	SPA400-05 STAND	1	82	0	82	100	17,0
450	1	SPA450-01 STAND	2	22	28	50	90	8,2
	2	SPA450-02 STAND	2	37	16	53	85	10,5
	3	SPA450-03 STAND	5	52	5	47	95	13,4
	4	SPA450-04 STAND	1	67	-	67	100	16,8
	5	SPA450-05 STAND	1	82	-	82	100	20,5
500	1	SPA500-01 STAND	2	22	28	50	90	10,4
	2	SPA500-02 STAND	2	37	18	55	90	12,9
	3	SPA500-03 STAND	2	52	8	60	100	16,9
	4	SPA500-04 STAND	1	67	-	67	100	19,8
	5	SPA500-05 STAND	1	82	-	82	100	23,1
560	1	SPA560-01 STAND	2	22	38	60	95	14,8
	2	SPA560-02 STAND	2	37	23	60	95	19,0
	3	SPA560-03 STAND	2	52	22	74	100	23,9
	4	SPA560-04 STAND	1	67	-	67	105	32,0
	5	SPA560-05 STAND	1	82	-	82	105	40,0
630	2	SPA630-02 STAND	2	37	40	77	100	15,1
	3	SPA630-03 STAND	2	52	22	74	100	17,0
	4	SPA630-04 STAND	2	67	13	80	110	25,7
	5	SPA630-05 STAND	1	82	-	82	110	44,6




Typ SPB - pro řemeny SPB, XPB, B/17, BX/17 / For belts SPB, XPB, B/17, BX/17


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
56	1	SPB056-01 STAND	2	25	16	41	42	0,6
	2	SPB056-02 STAND	2	44	16	60	45	1,0
	3	SPB056-03 STAND	5	63	-	62	50	1,1
63	1	SPB063-01 STAND	2	25	16	41	45	0,7
	2	SPB063-02 STAND	2	44	16	60	50	1,2
	3	SPB063-03 STAND	5	63	-	62	50	1,2
71	1	SPB071-01 STAND	2	25	16	41	45	0,7
	2	SPB071-02 STAND	2	44	16	60	48	1,3
	3	SPB071-03 STAND	5	63	8	55	50	1,6
75	1	SPB075-01 STAND	2	25	16	41	45	0,8
	2	SPB075-02 STAND	2	44	16	60	48	1,4
	3	SPB075-03 STAND	5	63	-	62	50	1,8
80	1	SPB080-01 STAND	2	25	16	41	50	1,0
	2	SPB080-02 STAND	2	44	16	60	50	1,6
	3	SPB080-03 STAND	5	63	8	55	50	2,0
	4	SPB080-04 STAND	5	86	16	70	52	2,4
	5	SPB080-05 STAND	5	105	25	80	45	2,7
85	1	SPB085-01 STAND	2	25	16	41	50	1,1
	2	SPB085-02 STAND	2	44	16	60	50	1,7
	3	SPB085-03 STAND	5	63	8	55	55	2,1
	4	SPB085-04 STAND	1	86	16	70	60	2,7
	5	SPB085-05 STAND	5	105	30	75	60	3,0
90	1	SPB090-01 STAND	2	25	16	41	50	1,1
	2	SPB090-02 STAND	2	44	16	60	50	1,8
	3	SPB090-03 STAND	5	63	8	55	55	2,3
	4	SPB090-04 STAND	5	86	16	70	60	3,0
	5	SPB090-05 STAND	5	105	30	75	60	3,3
95	1	SPB095-01 STAND	2	25	16	41	50	1,2
	2	SPB095-02 STAND	2	44	16	60	55	2,0
	3	SPB095-03 STAND	2	63	4	67	55	2,5
	4	SPB095-04 STAND	5	86	16	70	60	2,9
	5	SPB095-05 STAND	5	105	30	75	60	3,6
100	1	SPB100-01 STAND	2	25	16	41	55	1,3
	2	SPB100-02 STAND	2	44	16	60	55	2,1
	3	SPB100-03 STAND	5	63	8	55	60	2,8
	4	SPB100-04 STAND	5	86	16	70	60	3,8
	5	SPB100-05 STAND	5	105	30	75	65	4,4
	6	SPB100-06 STAND	1	124	0	124	65	5,2
106	1	SPB106-01 STAND	2	25	16	41	55	1,4
	2	SPB106-02 STAND	2	44	16	60	55	2,0
	3	SPB106-03 STAND	5	63	8	55	60	3,0
	4	SPB106-04 STAND	5	86	16	70	60	4,3
	5	SPB106-05 STAND	5	105	30	75	65	5,1
	6	SPB106-06 STAND	1	124	-	124	65	6,0



Figur 1




Figur 2




Figur 5

Typ SPB - pro řemeny SPB, XPB, B/17, BX/17 / For belts SPB, XPB, B/17, BX/17


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
112	1	SPB112-01 STAND	2	25	16	41	55	1,5
	2	SPB112-02 STAND	2	44	16	60	55	2,3
	3	SPB112-03 STAND	5	63	8	55	60	3,1
	4	SPB112-04 STAND	5	86	19	67	60	4,7
	5	SPB112-05 STAND	5	105	30	75	70	5,6
	6	SPB112-06 STAND	5	124	39	85	70	6,1
118	1	SPB118-01 STAND	2	25	16	41	55	1,5
	2	SPB118-02 STAND	2	44	16	60	55	2,4
	3	SPB118-03 STAND	5	63	8	55	60	3,2
	4	SPB118-04 STAND	5	86	16	70	60	5,2
	5	SPB118-05 STAND	5	105	30	75	70	7,2
	6	SPB118-06 STAND	5	124	39	85	70	6,6
125	1	SPB125-01 STAND	2	25	16	41	55	1,6
	2	SPB125-02 STAND	2	44	16	60	55	2,5
	3	SPB125-03 STAND	5	63	8	55	60	3,2
	4	SPB125-04 STAND	5	86	16	70	65	4,7
	5	SPB125-05 STAND	5	105	30	75	70	8,6
	6	SPB125-06 STAND	5	124	39	85	75	8,0
132	1	SPB132-01 STAND	2	25	16	41	60	1,8
	2	SPB132-02 STAND	2	44	16	60	60	2,6
	3	SPB132-03 STAND	5	63	8	55	65	3,4
	4	SPB132-04 STAND	5	86	16	70	70	6,3
	5	SPB132-05 STAND	5	105	30	75	70	9,4
	6	SPB132-06 STAND	5	124	39	85	75	8,5
140	1	SPB140-01 STAND	2	25	16	41	65	2,1
	2	SPB140-02 STAND	2	44	16	60	65	2,9
	3	SPB140-03 STAND	5	63	8	55	70	3,9
	4	SPB140-04 STAND	5	86	16	70	70	6,9
	5	SPB140-05 STAND	5	105	30	75	75	7,5
	6	SPB140-06 STAND	5	124	39	85	75	11,4
150	1	SPB150-01 STAND	2	25	18	43	65	2,4
	2	SPB150-02 STAND	2	44	4	48	70	3,2
	3	SPB150-03 STAND	5	63	3	60	70	4,2
	4	SPB150-04 STAND	5	86	16	70	75	6,7
	5	SPB150-05 STAND	5	105	30	75	75	8,4
	6	SPB150-06 STAND	5	124	39	85	80	12,1
160	1	SPB160-01 STAND	2	25	18	43	65	2,5
	2	SPB160-02 STAND	2	44	4	48	70	3,3
	3	SPB160-03 STAND	5	63	3	60	70	4,6
	4	SPB160-04 STAND	5	86	16	70	80	7,0
	5	SPB160-05 STAND	5	105	30	75	80	9,3
	6	SPB160-06 STAND	5	124	39	85	85	12,8
170	1	SPB170-01 STAND	2	25	18	43	70	2,8
	2	SPB170-02 STAND	2	44	4	48	70	3,4
	3	SPB170-03 STAND	5	63	3	60	70	4,8
	4	SPB170-04 STAND	5	86	16	70	80	7,2
	5	SPB170-05 STAND	5	105	30	75	85	8,9
	6	SPB170-06 STAND	5	124	39	85	85	13,1



Figur 1




Figur 2



Figur 5


Typ SPB - pro řemeny SPB, XPB, B/17, BX/17 / For belts SPB, XPB, B/17, BX/17

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
180	1	SPB180-01 STAND	2	25	18	43	70	3,1
	2	SPB180-02 STAND	2	44	4	48	70	3,9
	3	SPB180-03 STAND	5	63	3	60	75	5,2
	4	SPB180-04 STAND	5	86	16	70	80	7,4
	5	SPB180-05 STAND	5	105	30	75	85	9,0
	6	SPB180-06 STAND	5	124	39	85	90	10,8
190	1	SPB190-01 STAND	2	25	18	43	70	3,1
	2	SPB190-02 STAND	2	44	4	48	70	4,2
	3	SPB190-03 STAND	5	63	3	60	75	5,4
	4	SPB190-04 STAND	5	86	16	70	85	7,6
	5	SPB190-05 STAND	5	105	30	75	90	9,2
	6	SPB190-06 STAND	5	124	39	85	95	12,0
200	1	SPB200-01 STAND	2	25	18	43	70	3,4
	2	SPB200-02 STAND	2	44	4	48	75	4,4
	3	SPB200-03 STAND	5	63	3	60	75	5,8
	4	SPB200-04 STAND	5	86	26	60	85	7,9
	5	SPB200-05 STAND	5	105	25	80	90	9,5
	6	SPB200-06 STAND	5	124	34	90	95	12,2
212	1	SPB212-01 STAND	2	25	18	43	75	3,7
	2	SPB212-02 STAND	2	44	4	48	75	4,6
	3	SPB212-03 STAND	5	63	3	60	80	6,1
	4	SPB212-04 STAND	5	86	16	70	90	7,7
	5	SPB212-05 STAND	5	105	25	80	90	10,3
	6	SPB212-06 STAND	5	124	34	90	95	13,5
225	1	SPB225-01 STAND	2	25	18	43	75	4,0
	2	SPB225-02 STAND	2	44	4	48	75	5,4
	3	SPB225-03 STAND	5	63	3	60	80	6,9
	4	SPB225-04 STAND	5	86	16	70	90	8,6
	5	SPB225-05 STAND	5	105	15	90	90	11,7
	6	SPB225-06 STAND	5	124	34	90	95	14,7
250	1	SPB250-01 STAND	2	25	18	43	75	4,2
	2	SPB250-02 STAND	2	44	11	55	75	6,1
	3	SPB250-03 STAND	5	63	3	60	80	8,6
	4	SPB250-04 STAND	5	86	16	70	90	9,8
	5	SPB250-05 STAND	5	105	25	80	100	13,2
	6	SPB250-06 STAND	5	124	34	90	100	17,0
280	1	SPB280-01 STAND	2	25	24	49	80	5,7
	2	SPB280-02 STAND	2	44	11	55	80	7,0
	3	SPB280-03 STAND	5	63	3	60	90	9,6
	4	SPB280-04 STAND	5	86	16	70	90	11,5
	5	SPB280-05 STAND	5	105	25	80	100	15,5
	6	SPB280-06 STAND	5	124	34	90	100	18,0
300	1	SPB300-01 STAND	2	25	24	49	80	5,9
	2	SPB300-02 STAND	2	44	11	55	80	7,5
	3	SPB300-03 STAND	2	63	4	67	90	10,5
	4	SPB300-04 STAND	5	86	6	80	95	12,4
	5	SPB300-05 STAND	5	105	25	80	100	16,5
	6	SPB300-06 STAND	5	124	34	90	100	18,2




Typ SPB - pro řemeny SPB, XPB, B/17, BX/17 / For belts SPB, XPB, B/17, BX/17

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
315	1	SPB315-01 STAND	2	25	24	49	80	6,4
	2	SPB315-02 STAND	2	44	11	55	85	8,2
	3	SPB315-03 STAND	2	63	4	67	90	12,9
	4	SPB315-04 STAND	5	86	6	80	95	13,0
	5	SPB315-05 STAND	5	105	25	80	100	17,6
	6	SPB315-06 STAND	5	124	34	90	100	20,6
355	1	SPB355-01 STAND	2	25	24	49	85	7,0
	2	SPB355-02 STAND	2	44	11	55	90	9,7
	3	SPB355-03 STAND	2	63	4	67	95	13,4
	4	SPB355-04 STAND	5	86	6	80	100	18,2
	5	SPB355-05 STAND	5	105	30	75	105	18,7
	6	SPB355-06 STAND	5	124	34	90	110	19,7
400	1	SPB400-01 STAND	2	29	20	49	90	8,4
	2	SPB400-02 STAND	2	48	7	55	90	10,0
	3	SPB400-03 STAND	1	67	-	67	95	14,3
	4	SPB400-04 STAND	5	86	6	80	100	18,5
	5	SPB400-05 STAND	5	105	20	85	105	22,5
	6	SPB400-06 STAND	5	124	34	90	110	28,0
450	1	SPB450-01 STAND	2	29	26	55	90	9,8
	2	SPB450-02 STAND	2	48	7	55	90	10,8
	3	SPB450-03 STAND	1	67	-	67	95	15,0
	4	SPB450-04 STAND	5	86	6	80	105	20,5
	5	SPB450-05 STAND	5	105	25	80	110	26,0
	6	SPB450-06 STAND	5	124	34	90	115	28,9
500	1	SPB500-01 STAND	2	29	26	55	90	10,7
	2	SPB500-02 STAND	2	48	11	59	100	13,7
	3	SPB500-03 STAND	1	67	-	67	100	15,2
	4	SPB500-04 STAND	5	86	6	80	100	21,3
	5	SPB500-05 STAND	5	105	25	80	115	30,0
	6	SPB500-06 STAND	5	124	34	90	120	33,8
560	1	SPB560-01 STAND	2	29	26	55	100	12,3
	2	SPB560-02 STAND	2	48	7	55	100	15,0
	3	SPB560-03 STAND	1	67	-	67	100	24,2
	4	SPB560-04 STAND	5	86	6	80	115	26,0
	5	SPB560-05 STAND	5	105	25	80	120	34,4
	6	SPB560-06 STAND	5	124	34	90	120	39,0
630	1	SPB630-01 STAND	2	29	41	70	100	16,2
	2	SPB630-02 STAND	2	48	32	80	100	20,2
	3	SPB630-03 STAND	2	67	13	80	100	27,0
	4	SPB630-04 STAND	1	86	-	86	120	30,8
	5	SPB630-05 STAND	5	105	15	90	125	37,2
	6	SPB630-06 STAND	5	124	24	100	130	44,0




Typ SPC - pro řemeny SPC, XPC, C/22, CX/22 / For belts SPC, XPC, C/22, CX/22


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
100	1	SPC100-01 STAND	2	38	7	45	65	1,8
110	1	SPC110-01 STAND	2	38	7	45	65	2,0
120	1	SPC120-01 STAND	2	38	7	45	65	2,3
130	1	SPC130-01 STAND	2	38	7	45	65	2,6
	2	SPC130-02 STAND	5	64	14	50	65	4,6
140	1	SPC140-01 STAND	2	38	7	45	70	2,9
	2	SPC140-02 STAND	5	64	14	50	70	5,0
	3	SPC140-03 STAND	5	90	25	65	70	6,6
150	1	SPC150-01 STAND	2	38	7	45	70	3,1
	2	SPC150-02 STAND	5	64	14	50	70	5,3
	3	SPC150-03 STAND	5	90	25	65	70	7,5
	4	SPC150-04 STAND	5	116	36	80	70	10,4
160	1	SPC160-01 STAND	2	38	7	45	70	3,7
	2	SPC160-02 STAND	5	64	14	50	70	5,4
	3	SPC160-03 STAND	5	90	25	65	70	9,0
	4	SPC160-04 STAND	5	116	36	80	75	11,6
170	1	SPC170-01 STAND	2	38	7	45	75	4,0
	2	SPC170-02 STAND	5	64	14	50	80	6,1
	3	SPC170-03 STAND	5	90	25	65	80	9,6
	4	SPC170-04 STAND	5	116	36	80	80	12,0
180	1	SPC180-01 STAND	2	38	16	54	70	4,2
	2	SPC180-02 STAND	1	64	-	64	85	7,2
	3	SPC180-03 STAND	1	90	-	90	85	10,4
	4	SPC180-04 STAND	5	116	21	95	85	10,5
	5	SPC180-05 STAND	5	142	42	100	85	18,0
	6	SPC180-06 STAND	5	168	53	115	95	23,6
190	1	SPC190-01 STAND	2	38	16	54	70	4,6
	2	SPC190-02 STAND	1	64	-	64	85	6,7
	3	SPC190-03 STAND	1	90	-	90	85	10,6
	4	SPC190-04 STAND	5	116	21	95	85	11,0
	5	SPC190-05 STAND	5	142	42	100	85	18,5
200	1	SPC200-01 STAND	2	38	16	54	70	4,8
	2	SPC200-02 STAND	1	64	-	64	85	7,8
	3	SPC200-03 STAND	1	90	-	90	85	8,8
	4	SPC200-04 STAND	5	116	21	95	90	11,2
	5	SPC200-05 STAND	5	142	42	100	90	15,4
	6	SPC200-06 STAND	5	168	43	125	100	27,0
225	1	SPC225-01 STAND	2	38	16	54	80	5,5
	2	SPC225-02 STAND	1	64	-	64	90	7,8
	3	SPC225-03 STAND	1	90	-	90	90	10,6
	4	SPC225-04 STAND	5	116	21	95	95	13,1
	5	SPC225-05 STAND	5	142	42	100	100	16,7
	6	SPC225-06 STAND	5	168	53	115	100	35,0
250	1	SPC250-01 STAND	2	38	16	54	90	7,3
	2	SPC250-02 STAND	1	64	-	64	90	8,8
	3	SPC250-03 STAND	1	90	-	90	90	11,0
	4	SPC250-04 STAND	5	116	21	95	95	15,3
	5	SPC250-05 STAND	5	142	42	100	100	19,0
	6	SPC250-06 STAND	5	168	53	115	110	23,7



Figur 1



Figur 2



Figur 5

Typ SPC - pro řemeny SPC, XPC, C/22, CX/22 / For belts SPC, XPC, C/22, CX/22

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ	B [mm]	K [mm]	L [mm]	N [mm]	m [kg]
280	1	SPC280-01 STAND	2	38	16	54	90	8,7
	2	SPC280-02 STAND	1	64	-	64	95	10,9
	3	SPC280-03 STAND	1	90	-	90	95	15,6
	4	SPC280-04 STAND	5	116	21	95	100	17,5
	5	SPC280-05 STAND	5	142	42	100	105	20,5
	6	SPC280-06 STAND	5	168	53	115	110	27,0
315	1	SPC315-01 STAND	2	38	16	54	90	9,1
	2	SPC315-02 STAND	2	64	10	74	95	13,0
	3	SPC315-03 STAND	1	90	-	90	95	17,1
	4	SPC315-04 STAND	5	116	21	95	100	20,0
	5	SPC315-05 STAND	5	142	42	100	105	24,7
	6	SPC315-06 STAND	5	168	53	115	120	31,2
335	2	SPC335-02 STAND	2	64	10	74	95	14,0
	3	SPC335-03 STAND	1	90	-	90	95	18,3
	4	SPC335-04 STAND	5	116	21	95	100	22,4
	5	SPC335-05 STAND	5	142	42	100	105	28,3
	6	SPC335-06 STAND	5	168	53	115	120	34,4
355	2	SPC355-02 STAND	2	64	10	74	100	15,2
	3	SPC355-03 STAND	1	90	-	90	110	19,2
	4	SPC355-04 STAND	5	116	21	95	110	25,8
	5	SPC355-05 STAND	5	142	42	100	120	32,0
	6	SPC355-06 STAND	5	168	53	115	120	36,2
400	2	SPC400-02 STAND	2	64	16	80	110	16,4
	3	SPC400-03 STAND	1	90	-	90	110	20,6
	4	SPC400-04 STAND	5	116	11	105	110	28,0
	5	SPC400-05 STAND	5	142	42	100	120	32,0
	6	SPC400-06 STAND	5	168	53	115	130	45,2
450	2	SPC450-02 STAND	2	64	16	80	110	21,1
	3	SPC450-03 STAND	1	90	-	90	120	26,3
	4	SPC450-04 STAND	5	116	11	105	120	31,1
	5	SPC450-05 STAND	5	142	32	110	130	42,2
	6	SPC450-06 STAND	5	168	48	120	130	48,5
500	3	SPC500-03 STAND	1	90	-	90	120	28,4
	4	SPC500-04 STAND	5	116	11	105	120	34,1
	5	SPC500-05 STAND	5	142	32	110	130	48,2
	6	SPC500-06 STAND	5	168	48	120	130	52,5
560	3	SPC560-03 STAND	1	90	-	90	120	31,1
	4	SPC560-04 STAND	5	116	11	105	120	39,0
	5	SPC560-05 STAND	5	142	32	110	130	54,1
	6	SPC560-06 STAND	5	168	48	120	140	61,5
630	3	SPC630-03 STAND	1	90	-	90	130	38,5
	4	SPC630-04 STAND	5	116	11	105	130	48,1
	5	SPC630-05 STAND	5	142	32	110	140	62,2
	6	SPC630-06 STAND	5	168	48	120	140	73,2