


Typ PC 8M - Pro řemeny PC GT a CTD Synchrochain 8M / For belts PC GT and CTD Synchrochain 8M


Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
22	12	22S-8M-12 PB12	1F	ST	PB12	28,0	56,02	54,42	62,0	43,0	-	20,0	30,0	-	0,42
	21	22S-8M-21 PB12	1F	ST	PB12	28,0	56,02	54,42	62,0	43,0	-	30,0	40,0	-	0,57
25	12	25S-8M-12 1108	2F	GG	1108	28,0	63,66	62,06	70,0	49,0	-	20,0	22,0	-	0,43
	21	25S-8M-21 1108	3F	GG	1108	28,0	63,66	62,06	70,0	-	-	30,0	22,0	8,0	0,60
	36	25S-8M-36 PB12	1F	ST	PB12	32,0	63,66	62,06	70,0	49,0	-	45,0	55,0	-	1,02
28	12	28S-8M-12 1108	2F	GG	1108	28,0	71,30	69,70	79,0	59,0	-	20,0	22,0	-	0,60
	21	28S-8M-21 1210	3F	ST	1210	32,0	71,30	69,70	79,0	-	-	30,0	25,0	5,0	0,75
	36	28S-8M-36 1210	3F	ST	1210	32,0	71,30	69,70	79,0	-	-	45,0	25,0	20,0	1,11
30	12	30S-8M-12 1210	2F	GG	1210	32,0	76,39	74,79	86,0	66,0	-	20,0	25,0	-	0,67
	21	30S-8M-21 1210	3F	ST	1210	32,0	76,39	74,79	86,0	-	-	30,0	25,0	5,0	0,83
	36	30S-8M-36 1610	3F	ST	1610	42,0	76,39	74,79	86,0	-	-	45,0	25,0	20,0	1,22
	62	30S-8M-62 PB20	1F	ST	PB20	42,0	76,39	74,79	86,0	65,0	-	72,0	84,0	-	2,45
32	12	32S-8M-12 1610	2F	GG	1610	42,0	81,49	79,89	90,0	66,0	-	20,0	25,0	-	0,77
	21	32S-8M-21 1610	3F	ST	1610	42,0	81,49	79,89	90,0	-	-	30,0	25,0	5,0	0,97
	36	32S-8M-36 1610	3F	ST	1610	42,0	81,89	79,89	90,0	-	-	45,0	25,0	20,0	1,45
	62	32S-8M-62 PB20	1F	ST	PB20	50,0	81,49	79,89	90,0	69,0	-	72,0	84,0	-	2,82
34	12	34S-8M-12 1610	2F	GG	1610	42,0	86,58	84,98	95,0	70,0	-	20,0	25,0	-	0,88
	21	34S-8M-21 1610	3F	GG	1610	42,0	86,58	84,98	95,0	-	-	30,0	25,0	5,0	1,12
	36	34S-8M-36 1610	3F	GG	1610	42,0	86,58	84,98	95,0	-	-	45,0	25,0	20,0	1,66
	62	34S-8M-62 PB20	1F	ST	PB20	55,0	86,58	84,98	95,0	74,0	-	72,0	84,0	-	3,17
36	12	36S-8M-12 1610	2F	GG	1610	42,0	91,67	90,07	98,0	78,0	-	20,0	25,0	-	1,02
	21	36S-8M-21 1610	3F	GG	1610	42,0	91,67	90,07	98,0	-	-	30,0	25,0	5,0	1,29
	36	36S-8M-36 1610	3F	GG	1610	42,0	91,67	90,07	98,0	-	-	45,0	25,0	20,0	1,90
	62	36S-8M-62 PB20	1F	ST	PB20	60,0	91,67	90,07	98,0	77,0	-	72,0	84,0	-	3,52
38	12	38S-8M-12 1610	2F	GG	1610	42,0	96,77	95,17	106,0	80,0	-	20,0	25,0	-	1,15
	21	38S-8M-21 1610	3F	GG	1610	42,0	96,77	95,17	106,0	-	-	30,0	25,0	5,0	1,34
	36	38S-8M-36 1610	3F	GG	1610	42,0	96,77	95,17	106,0	-	-	45,0	25,0	20,0	2,21
	62	38S-8M-62 PB20	1F	ST	PB20	60,0	96,77	95,17	106,0	84,0	-	72,0	84,0	-	3,91
40	12	40S-8M-12 1610	2F	GG	1610	42,0	101,86	100,26	111,0	85,0	-	20,0	25,0	-	1,19
	21	40S-8M-21 1610	3F	GG	1610	42,0	101,86	100,26	111,0	-	-	30,0	25,0	5,0	1,50
	36	40S-8M-36 2012	3F	ST	2012	50,0	101,86	100,26	111,0	-	-	45,0	32,0	13,0	2,36
	62	40S-8M-62 2012	3F	GG	2012	50,0	101,86	100,26	111,0	-	-	72,0	32,0	40,0	3,76
45	12	45S-8M-12 2012	2F	GG	2012	50,0	114,59	112,99	119,0	92,0	-	20,0	32,0	-	1,76
	21	45S-8M-21 2012	2F	GG	2012	50,0	114,59	112,99	119,0	92,0	-	30,0	32,0	-	2,03
	36	45S-8M-36 2012	3F	GG	2012	50,0	114,59	112,99	119,0	-	-	45,0	32,0	13,0	3,07
	62	45S-8M-62 2012	3F	GG	2012	50,0	114,59	112,99	119,0	-	-	72,0	32,0	40,0	4,88
48	12	48S-8M-12 2012	2F	GG	2012	50,0	122,23	120,63	135,0	104,0	-	20,0	32,0	-	2,16
	21	48S-8M-21 2012	2F	GG	2012	50,0	122,23	120,63	135,0	104,0	-	30,0	32,0	-	2,24
	36	48S-8M-36 2012	3F	GG	2012	50,0	122,23	120,63	135,0	-	-	45,0	32,0	13,0	3,30
	62	48S-8M-62 2517	3F	GG	2517	60,0	122,23	120,63	135,0	-	-	72,0	45,0	27,0	5,52

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast


PB.. = s předvrtanou dírou d=.. / PB = Min.plain bore




Figur 7




Figur 7F




Figur 8



Figur 9



Figur 9F




Figur 10


Typ PC 8M - Pro řemeny PC GT a CTD Synchrochain 8M / For belts PC GT and CTD Synchrochain 8M

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
50	12	50S-8M-12 2012	2F	GG	2012	50,0	127,32	125,72	135,0	104,0	-	20,0	32,0	-	2,16
21	21	50S-8M-21 2012	2F	GG	2012	50,0	127,32	125,72	135,0	104,0	-	30,0	32,0	-	2,42
36	36	50S-8M-36 2012	3F	GG	2012	50,0	127,32	125,72	135,0	-	-	45,0	32,0	13,0	3,58
62	62	50S-8M-62 2517	3F	GG	2517	60,0	127,32	125,72	135,0	-	-	72,0	45,0	27,0	6,03
56	12	56S-8M-12 2012	2F	GG	2012	50,0	142,60	141,00	151,0	104,0	-	20,0	32,0	-	2,83
21	21	56S-8M-21 2012	2F	GG	2012	50,0	142,60	141,00	151,0	111,0	-	30,0	32,0	-	3,20
36	36	56S-8M-36 2517	3F	GG	2517	60,0	142,60	141,00	151,0	-	-	45,0	45,0	0,0	4,48
62	62	56S-8M-62 2517	6F	GG	2517	60,0	142,60	141,00	151,0	-	111,0	72,0	45,0	13,5	5,43
60	12	60S-8M-12 2012	2F	GG	2012	50,0	152,79	151,19	159,0	111,0	-	20,0	32,0	-	3,24
21	21	60S-8M-21 2517	2F	GG	2517	60,0	152,79	151,19	159,0	124,0	-	30,0	45,0	-	4,66
36	36	60S-8M-36 2517	3F	GG	2517	60,0	152,79	151,19	159,0	-	-	45,0	45,0	0,0	5,30
62	62	60S-8M-62 2517	6F	GG	2517	60,0	152,79	151,19	159,0	-	121,0	72,0	45,0	13,5	6,33
64	12	64S-8M-12 2012	2F	GG	2012	50,0	162,97	161,37	168,0	111,0	-	20,0	32,0	-	3,51
21	21	64S-8M-21 2517	2F	GG	2517	60,0	162,97	161,37	168,0	124,0	-	30,0	45,0	-	5,28
36	36	64S-8M-36 2517	3F	GG	2517	60,0	162,97	161,37	168,0	-	-	45,0	45,0	0,0	6,19
62	62	64S-8M-62 2517	6F	GG	2517	60,0	162,97	161,37	168,0	-	131,0	72,0	45,0	13,5	7,11
75	12	75S-8M-12 2012	2	GG	2012	50,0	190,99	189,39	-	111,0	-	20,0	32,0	-	4,57
21	21	75S-8M-21 2517	2	GG	2517	60,0	190,99	189,39	-	124,0	-	30,0	45,0	-	6,77
36	36	75S-8M-36 3020	2	GG	3020	75,0	190,99	189,39	-	150,0	-	45,0	51,0	-	8,72
62	62	75S-8M-62 3020	6	GG	3020	75,0	190,99	189,39	-	-	159,0	72,0	51,0	10,5	9,99
80	12	80S-8M-12 2012	2	GG	2012	50,0	203,72	202,12	-	111,0	-	20,0	32,0	-	5,13
21	21	80S-8M-21 2517	2	GG	2517	60,0	203,72	202,12	-	124,0	-	30,0	45,0	-	7,61
36	36	80S-8M-36 3020	2	GG	3020	75,0	203,72	202,12	-	150,0	-	45,0	51,0	-	9,96
62	62	80S-8M-62 3020	6	GG	3020	45,0	203,72	202,12	-	-	172,0	72,0	51,0	10,5	
90	12	90S-8M-12 2012	2	GG	2012	50,0	229,18	227,58	-	111,0	-	20,0	-	-	6,37
21	21	90S-8M-21 2517	9	GG	2517	60,0	229,18	227,58	-	124,0	198,0	30,0	45,0	7,5	8,57
36	36	90S-8M-36 3020	9	GG	3020	75,0	229,18	227,58	-	150,0	197,0	45,0	51,0	3,0	10,41
62	62	90S-8M-62 3020	6	GG	3020	75,0	229,18	227,58	-	-	197,0	72,0	51,0	10,5	14,94
112	21	112S-8M-21 2517	9	GG	2517	60,0	285,21	283,61	-	124,0	253,0	30,0	45,0	7,5	12,50
36	36	112S-8M-36 3020	9	GG	3020	75,0	285,21	283,61	-	150,0	253,0	45,0	51,0	3,0	14,01
62	62	112S-8M-62 3020	7	GG	3020	75,0	285,21	283,61	-	150,0	253,0	72,0	51,0	10,5	14,94
140	21	140S-8M-21 3020	10	GG	3020	75,0	356,51	354,91	-	150,0	324,0	30,0	51,0	10,5	12,79
36	36	140S-8M-36 3020	10	GG	3020	75,0	356,51	354,91	-	150,0	324,0	45,0	51,0	3,0	11,98
62	62	140S-8M-62 3525	7	GG	3525	100,0	356,51	354,91	-	198,0	324,0	72,0	65,0	3,5	24,77
168	36	168S-8M-36 3525	10	GG	3525	100,0	427,81	426,21	-	198,0	396,0	45,0	65,0	10,0	23,91
62	62	168S-8M-62 3525	8	GG	3525	100,0	427,81	426,21	-	198,0	396,0	72,0	65,0	3,5	28,39
192	36	192S-8M-36 3525	10	GG	3525	100,0	488,92	487,32	-	198,0	457,0	45,0	65,0	10,0	26,53
62	62	192S-8M-62 3525	8	GG	3525	100,0	488,92	487,32	-	198,0	457,0	72,0	65,0	3,5	32,18


* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast




Figur 1F




Figur 2



Figur 2F



Figur 3F



Figur 5F




Typ PC 14M - Pro řemeny PC GT a CTD Synchronchain 14M / For belts PC GT and CTD Synchronchain 14M

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
28	20	28S-14M-20 2012	3F	GG	2012	50,0	124,78	121,98	141,0	-	-	33,0	32,0	1,0	2,46
	37	28S-14M-37 2012	5F	GG	2012	50,0	124,78	121,98	141,0	-	88,0	51,0	32,0	19,0	2,97
30	20	30S-14M-20 2012	3F	GG	2012	50,0	133,69	130,89	141,0	-	-	33,0	32,0	1,0	2,85
	37	30S-14M-37 2517	6F	GG	2517	60,0	133,69	130,89	141,0	-	98,0	51,0	45,0	3,0	3,81
32	20	32S-14M-20 2012	3F	GG	2012	50,0	142,60	139,80	155,0	-	-	33,0	32,0	1,0	3,26
	27	32S-14M-27 2517	6F	GG	2517	60,0	142,60	139,80	155,0	-	100,0	51,0	45,0	3,0	4,53
34	20	34S-14M-20 2517	2F	GG	2517	60,0	151,52	148,72	162,0	117,0	-	33,0	45,0	-	4,35
	37	34S-14M-37 2517	6F	GG	2517	60,0	151,52	148,72	162,0	-	109,0	51,0	45,0	3,0	5,06
	68	34S-14M-68 PB40	1F	GG	PB40	100,0	151,52	148,72	162,0	134,0	-	84,0	104,0	-	6,25
36	20	36S-14M-20 2517	2F	GG	2517	60,0	160,43	157,53	168,0	117,0	-	33,0	45,0	-	5,05
	37	36S-14M-37 2517	5F	GG	2517	60,0	160,43	157,53	168,0	-	117,0	51,0	45,0	6,0	5,92
	68	36S-14M-68 PB40	1F	GG	PB40	110,0	160,43	157,53	168,0	134,0	-	84,0	104,0	-	6,68
	90	36S-14M-90 PB50	1F	GG	PB50	110,0	160,43	157,53	168,0	131,0	-	106,0	136,0	-	8,18
38	20	38S-14M-20 2517	2F	GG	2517	60,0	169,34	166,54	183,0	117,0	-	33,0	45,0	-	5,39
	37	38S-14M-37 2517	5F	GG	2517	60,0	169,34	166,54	183,0	-	126,0	51,0	45,0	6,0	6,51
	68	38S-14M-68 PB40	1F	GG	PB40	115,0	169,34	166,54	183,0	141,0	-	84,0	104,0	-	7,46
	90	38S-14M-90 PB50	1F	GG	PB50	115,0	169,34	166,54	183,0	147,0	-	106,0	136,0	-	9,73
	125	38S-14M-125 PB50	1F	GG	PB50	115,0	169,34	166,54	183,0	147,0	-	141,0	161,0	-	11,74
40	20	40S-14M-20 2517	2F	GG	2517	60,0	178,25	175,45	197,0	117,0	-	33,0	45,0	-	5,97
	37	40S-14M-37 2517	5F	GG	2517	60,0	178,25	175,45	197,0	-	135,0	51,0	45,0	6,0	7,31
	68	40S-14M-68 PB40	1F	GG	PB40	125,0	178,25	175,45	197,0	156,0	-	84,0	104,0	-	7,81
	90	40S-14M-90 PB50	1F	GG	PB50	125,0	178,25	175,45	197,0	156,0	-	106,0	136,0	-	10,29
	125	40S-14M-125 PB50	1F	GG	PB50	125,0	178,25	175,45	197,0	156,0	-	141,0	161,0	-	12,23
44	20	44S-14M-20 3020	2F	GG	3020	75,0	196,08	193,28	211,0	144,0	-	33,0	51,0	-	8,03
	37	44S-14M-37 3020	3F	GG	3020	75,0	196,08	193,28	211,0	-	-	51,0	51,0	-	9,44
	68	44S-14M-68 3020	6F	GG	3020	75,0	196,08	193,28	211,0	-	153,0	84,0	51,0	16,5	11,54
	90	44S-14M-90 PB50	1F	GG	PB50	140,0	196,08	193,28	211,0	169,0	-	106,0	136,0	-	11,92
	125	44S-14M-125 PB50	1F	GG	PB50	140,0	196,08	193,28	211,0	170,0	-	141,0	161,0	-	14,46
48	20	48S-14M-20 3020	2F	GG	3020	75,0	213,90	211,11	226,0	144,0	-	33,0	51,0	-	9,48
	37	48S-14M-37 3020	3F	GG	3020	75,0	213,90	211,11	226,0	-	-	51,0	51,0	-	11,44
	68	48S-14M-68 3020	5F	GG	3020	75,0	213,90	211,11	226,0	-	171,0	84,0	51,0	33,0	13,74
	90	48S-14M-90 3525	6F	GG	3525	100,0	213,90	211,11	226,0	-	171,0	106,0	66,0	20,0	16,76
	125	48S-14M-125 PB50	1F	GG	PB50	160,0	213,90	211,11	226,0	185,0	-	141,0	161,0	-	14,70
50	20	50S-14M-20 3020	2F	GG	3020	75,0	222,82	220,02	239,0	144,0	-	33,0	51,0	-	10,13
	37	50S-14M-37 3020	3F	GG	3020	75,0	222,82	220,02	239,0	-	-	51,0	51,0	-	12,62
	68	50S-14M-68 3525	6F	GG	3525	100,0	222,82	220,02	239,0	-	180,0	84,0	65,0	9,5	16,63
	90	50S-14M-90 3525	6F	GG	3525	100,0	222,82	220,02	239,0	-	180,0	106,0	66,0	20,0	18,38
	125	50S-14M-125 3525	6F	GG	3525	100,0	222,82	220,02	239,0	-	180,0	141,0	65,0	38,0	20,93
56	20	56S-14M-20 3020	9F	GG	3020	75,0	249,55	246,76	267,0	144,0	207,0	33,0	51,0	9,0	10,81
	37	56S-14M-37 3020	7F	GG	3020	75,0	249,55	246,76	267,0	144,0	207,0	51,0	51,0	0,0	12,70
	68	56S-14M-68 3525	6F	GG	3525	100,0	249,55	246,76	267,0	-	207,0	84,0	65,0	9,5	21,15
	90	56S-14M-90 3525	6F	GG	3525	100,0	249,55	246,76	267,0	-	207,0	106,0	66,0	20,0	23,46
	125	56S-14M-125 3525	6F	GG	3525	100,0	249,55	246,76	267,0	-	207,0	141,0	65,0	38,0	25,91

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast

PB.. = s předvrtanou dírou d=.. / PB = Min.plain bore


Typ PC 14M - Pro řemeny PC GT a CTD Synchronchain 14M / For belts PC GT and CTD Synchronchain 14M

Zubů Teeth	Šíř.ř. Width	Označení / Obj.č. Part.No.	Typ Fig.	* Mat. Mat.	Pouzdro Bush	Max.díra Max.Bore	Dp [mm]	De [mm]	Df [mm]	Dm [mm]	Di [mm]	F [mm]	S [mm]	R [mm]	m [kg]
60	20	60S-14M-20 3020	9	GG	3020	75,0	267,38	264,58	-	159,0	224,0	33,0	51,0	9,0	12,59
	37	60S-14M-37 3020	7	GG	3020	75,0	267,38	264,58	-	159,0	224,0	51,0	51,0	0,0	14,23
	68	60S-14M-68 3525	6	GG	3525	100,0	267,38	264,58	-	-	224,0	84,0	65,0	9,5	24,28
	90	60S-14M-90 3525	6	GG	3525	100,0	267,38	264,58	-	-	224,0	106,0	66,0	20,0	26,53
	125	60S-14M-125 4030	6	GG	4030	115,0	267,38	264,58	-	-	224,0	141,0	76,0	32,5	30,92
64	20	64S-14M-20 3020	9	GG	3020	75,0	285,21	282,41	-	159,0	242,0	33,0	51,0	9,0	13,84
	37	64S-14M-37 3020	7	GG	3020	75,0	285,21	282,41	-	159,0	242,0	51,0	51,0	0,0	15,58
	68	64S-14M-68 3525	6	GG	3525	100,0	285,21	282,41	-	-	242,0	84,0	65,0	9,5	27,86
	90	64S-14M-90 3525	6	GG	3525	100,0	285,21	282,41	-	-	242,0	106,0	66,0	20,0	30,30
	125	64S-14M-125 4030	6	GG	4030	115,0	285,21	282,41	-	-	242,0	141,0	76,0	32,5	35,34
72	20	72S-14M-20 3020	9	GG	3020	75,0	320,86	318,06	-	159,0	278,0	33,0	51,0	9,0	15,51
	37	72S-14M-37 3020	7	GG	3020	75,0	320,86	318,06	-	159,0	278,0	51,0	51,0	0,0	17,24
	68	72S-14M-68 3525	7	GG	3525	100,0	320,86	318,06	-	178,0	278,0	84,0	65,0	9,5	25,74
	90	72S-14M-90 3525	7	GG	3525	100,0	320,86	318,06	-	178,0	278,0	106,0	66,0	20,0	26,36
	125	72S-14M-125 4030	7	GG	4030	115,0	320,86	318,06	-	215,0	278,0	141,0	76,0	32,5	37,71
80	20	80S-14M-20 3020	9	GG	3020	75,0	356,51	353,71	-	159,0	314,0	33,0	51,0	9,0	18,13
	37	80S-14M-37 3020	7	GG	3020	75,0	356,51	353,71	-	159,0	314,0	51,0	51,0	0,0	20,32
	68	80S-14M-68 3525	7	GG	3525	100,0	356,51	353,71	-	178,0	314,0	84,0	65,0	9,5	29,86
	90	80S-14M-90 4030	7	GG	4030	115,0	356,51	353,71	-	215,0	314,0	106,0	76,0	15,0	35,61
	125	80S-14M-125 4030	7	GG	4030	115,0	356,51	353,71	-	215,0	314,0	141,0	76,0	32,5	42,02
90	20	90S-14M-20 3020	10	GG	3020	75,0	401,07	398,27	-	159,0	360,0	33,0	51,0	9,0	19,47
	37	90S-14M-37 3020	8	GG	3020	75,0	401,07	398,27	-	159,0	360,0	51,0	51,0	0,0	29,85
	68	90S-14M-68 3525	8	GG	3525	100,0	401,07	398,27	-	178,0	360,0	84,0	65,0	9,5	31,24
	90	90S-14M-90 4030	7	GG	4030	115,0	401,07	398,27	-	215,0	360,0	106,0	76,0	15,0	41,90
	125	90S-14M-125 4030	7	GG	4030	115,0	401,07	398,27	-	215,0	360,0	141,0	76,0	32,5	51,29
112	20	112S-14M-20 3020	10	GG	3020	75,0	499,11	496,31	-	159,0	456,0	33,0	51,0	9,0	24,25
	37	112S-14M-37 3020	8	GG	3020	75,0	499,11	496,31	-	159,0	456,0	51,0	51,0	0,0	27,43
	68	112S-14M-68 3525	8	GG	3525	100,0	499,11	496,31	-	178,0	456,0	84,0	65,0	9,5	39,25
	90	112S-14M-90 4535	8	GG	4535	125,0	499,11	496,31	-	215,0	456,0	106,0	90,0	8,0	70,89
	125	112S-14M-125 4535	8	GG	4535	125,0	499,11	496,31	-	215,0	581,0	141,0	89,0	26,0	65,64
140	20	140S-14M-20 3020	10	GG	3020	75,0	623,89	621,09	-	159,0	581,0	33,0	51,0	9,0	20,96
	37	140S-14M-37 3525	10	GG	3525	100,0	623,89	621,09	-	206,0	581,0	51,0	65,0	7,0	33,55
	68	140S-14M-68 3525	8	GG	3525	100,0	623,89	621,09	-	206,0	581,0	84,0	65,0	9,5	40,87
	90	140S-14M-90 4535	8	GG	4535	125,0	623,89	621,09	-	215,0	581,0	106,0	90,0	8,0	74,56
	125	140S-14M-125 4535	8	GG	4535	125,0	623,89	621,09	-	215,0	581,0	141,0	89,0	26,0	67,90
168	37	168S-14M-37 3525	10	GG	3525	100,0	748,66	745,87	-	206,0	706,0	51,0	65,0	7,0	64,50
	68	168S-14M-68 3525	8	GG	3525	100,0	748,66	745,87	-	206,0	706,0	84,0	65,0	9,5	73,30
	90	168S-14M-90 5040	8	GG	5040	130,0	748,66	745,87	-	267,0	708,0	106,0	102,0	2,0	109,24
	125	168S-14M-125 5040	8	GG	5040	125,0	748,66	745,87	-	267,0	706,0	141,0	102,0	19,5	120,66
192	37	192S-14M-37 4030	10	GG	4030	115,0	855,61	852,82	-	215,0	812,0	51,0	76,0	12,5	83,82
	68	192S-14M-68 4030	8	GG	4030	115,0	855,61	852,82	-	215,0	812,0	84,0	76,0	4,0	94,21
	90	192S-14M-90 5040	8	GG	5040	130,0	855,61	852,82	-	267,0	812,0	106,0	102,0	2,0	126,05
	125	192S-14M-125 5040	8	GG	5040	125,0	855,61	852,82	-	267,0	812,0	141,0	102,0	19,5	142,39

* Materiál: ST = ocel, GG = litina / ST = steel, GG = iron cast