




Figur 1



Figur 2



Figur 3




Figur 7




### Typ PJ - pro řemeny J/PJ (rozteč drážek 2,34mm) / For belts section J/PJ


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Max.díra Max.Bore	B [mm]	F [mm]	K [mm]	L [mm]	N [mm]	J [mm]	d [mm]
20	4	PJ020-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	5
	8	PJ020-08 N	1	GG	-	-	23	3,31	-	32	-	-	5
	12	PJ020-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	5
	16	PJ020-16 N	1	GG	-	-	42	3,45	-	51	-	-	5
	20	PJ020-20 N	1	GG	-	-	52	3,77	-	61	-	-	5
25	4	PJ025-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	5
	8	PJ025-08 N	1	GG	-	-	23	3,31	-	32	-	-	5
	12	PJ025-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	5
	16	PJ025-16 N	1	GG	-	-	42	3,45	-	51	-	-	5
	20	PJ025-20 N	1	GG	-	-	52	3,77	-	61	-	-	5
30	4	PJ030-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	9,5
	8	PJ030-08 N	1	GG	-	-	23	3,31	-	32	-	-	9,5
	12	PJ030-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	9,5
	16	PJ030-16 N	1	GG	-	-	42	3,45	-	51	-	-	9,5
	20	PJ030-20 N	1	GG	-	-	52	3,77	-	61	-	-	9,5
35	4	PJ035-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	9,5
	8	PJ035-08 N	1	GG	-	-	23	3,31	-	32	-	-	9,5
	12	PJ035-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	9,5
	16	PJ035-16 N	1	GG	-	-	42	3,45	-	51	-	-	9,5
	20	PJ035-20 N	1	GG	-	-	52	3,77	-	61	-	-	9,5
40	4	PJ040-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	12
	8	PJ040-08 N	1	GG	-	-	23	3,31	-	32	-	-	12
	12	PJ040-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	12
	16	PJ040-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ040-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
45	4	PJ045-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	12
	8	PJ045-08 N	1	GG	-	-	23	3,31	-	32	-	-	12
	12	PJ045-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	12
	16	PJ045-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ045-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
50	4	PJ050-04 N	1	GG	-	-	13,5	3,24	-	22,5	-	-	12
	8	PJ050-08 N	1	GG	-	-	23	3,31	-	32	-	-	12
	12	PJ050-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	12
	16	PJ050-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ050-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
56	4	PJ056-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	50	-	-
	8	PJ056-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ056-12 N	1	GG	-	-	32,5	3,38	-	41,5	-	-	12
	16	PJ056-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ056-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
60	4	PJ060-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	50	-	-
	8	PJ060-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ060-12 TB	2	GG	1108	28	32,5	3,38	9,5	23	-	45	-
	16	PJ060-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ060-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
63	4	PJ063-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	50	-	-
	8	PJ063-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ063-12 TB	2	GG	1108	28	32,5	3,38	9,5	23	-	45	-
	16	PJ063-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ063-20 N	1	GG	-	-	52	3,77	-	61	-	-	12




Figur 1



Figur 2




Figur 3




Figur 7

### Typ PJ - pro řemeny J/PJ (rozteč drážek 2,34mm) / For belts section J/PJ


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Max.díra Max.Bore	B [mm]	F [mm]	K [mm]	L [mm]	N [mm]	J [mm]	d [mm]
67	4	PJ067-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	50	-	-
	8	PJ067-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ067-12 TB	2	GG	1108	28	32,5	3,38	9,5	23	-	51	-
	16	PJ067-16 N	1	GG	-	-	42	3,45	-	51	-	-	12
	20	PJ067-20 N	1	GG	-	-	52	3,77	-	61	-	-	12
71	4	PJ071-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	60	-	-
	8	PJ071-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ071-12 TB	2	GG	1108	28	32,5	3,38	9,5	23	-	55	-
	16	PJ071-16 TB	3	GG	1215	32	42	3,45	-	42	-	55	-
	20	PJ071-20 TB	2	GG	1215	32	52	3,77	10	42	-	55	-
75	4	PJ075-04 TB	7	GG	1108	28	13,5	3,24	9,5	23	60	-	-
	8	PJ075-08 TB	3	GG	1108	28	23	3,31	-	23	-	-	-
	12	PJ075-12 TB	2	GG	1210	32	32,5	3,38	6,5	26	-	59	-
	16	PJ075-16 TB	2	GG	1610	42	42	3,45	16	26	-	59	-
	20	PJ075-20 TB	2	GG	1615	42	52	3,77	10	42	-	59	-
80	4	PJ080-04 TB	7	GG	1310	35	13,5	3,24	12,5	26	70	-	-
	8	PJ080-08 TB	7	GG	1310	35	23	3,31	3	26	70	-	-
	12	PJ080-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	64	-
	16	PJ080-16 TB	2	GG	1610	42	42	3,45	16	26	-	64	-
	20	PJ080-20 TB	2	GG	1615	42	52	3,77	10	42	-	64	-
85	4	PJ085-04 TB	7	GG	1310	35	13,5	3,24	12,5	26	70	-	-
	8	PJ085-08 TB	7	GG	1310	35	23	3,31	3	26	70	-	-
	12	PJ085-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	69	-
	16	PJ085-16 TB	2	GG	1610	42	42	3,45	16	26	-	69	-
	20	PJ085-20 TB	2	GG	1615	42	52	3,77	10	42	-	69	-
90	4	PJ090-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	82	-	-
	8	PJ090-08 TB	7	GG	1610	42	23	3,31	3	26	82	-	-
	12	PJ090-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	74	-
	16	PJ090-16 TB	2	GG	1610	42	42	3,45	16	26	-	74	-
	20	PJ090-20 TB	2	GG	1615	42	52	3,77	10	42	-	74	-
95	4	PJ095-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	82	-	-
	8	PJ095-08 TB	7	GG	1610	42	23	3,31	3	26	82	-	-
	12	PJ095-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	79	-
	16	PJ095-16 TB	2	GG	1610	42	42	3,45	16	26	-	79	-
	20	PJ095-20 TB	2	GG	1615	42	52	3,77	10	42	-	79	-
100	4	PJ100-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	82	-	-
	8	PJ100-08 TB	7	GG	1610	42	23	3,31	3	26	82	-	-
	12	PJ100-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	82	-
	16	PJ100-16 TB	2	GG	1610	42	42	3,45	16	26	-	82	-
	20	PJ100-20 TB	2	GG	1615	42	52	3,77	10	42	-	82	-
106	4	PJ106-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	88	-	-
	8	PJ106-08 TB	7	GG	1610	42	23	3,31	3	26	88	-	-
	12	PJ106-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	88	-
	16	PJ106-16 TB	2	GG	1610	42	42	3,45	16	26	-	88	-
	20	PJ106-20 TB	2	GG	1615	42	52	3,77	10	42	-	88	-




Figur 2




Figur 5



Figur 6




Figur 7




Figur 8

### Typ PJ - pro řemeny J/PJ (rozteč drážek 2,34mm) / For belts section J/PJ


Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Max.díra Max.Bore	B [mm]	F [mm]	K [mm]	L [mm]	N [mm]	J [mm]	d [mm]
112	4	PJ112-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	90	-	-
	8	PJ112-08 TB	7	GG	1610	42	23	3,31	3	26	90	-	-
	12	PJ112-12 TB	2	GG	1610	42	32,5	3,38	6,5	26	-	94	-
	16	PJ112-16 TB	2	GG	1610	42	42	3,45	16	26	-	94	-
	20	PJ112-20 TB	2	GG	1615	42	52	3,77	10	42	-	94	-
118	4	PJ118-04 TB	7	GG	1610	42	13,5	3,24	12,5	26	90	-	-
	8	PJ118-08 TB	7	GG	1610	42	23	3,31	3	26	90	-	-
	12	PJ118-12 TB	2	GG	2012	50	32,5	3,38	0,5	32	-	98	-
	16	PJ118-16 TB	2	GG	2012	50	42	3,45	10	32	-	98	-
	20	PJ118-20 TB	2	GG	2012	50	52	3,77	20	32	-	98	-
125	4	PJ125-04 TB	8	GG	1610	42	13,5	3,24	12,5	26	90	109	-
	8	PJ125-08 TB	8	GG	1610	42	23	3,31	3	26	90	109	-
	12	PJ125-12 TB	2	GG	2012	50	32,5	3,38	0,5	32	-	105	-
	16	PJ125-16 TB	2	GG	2012	50	42	3,45	10	32	-	105	-
	20	PJ125-20 TB	2	GG	2517	65	52	3,77	7	45	-	105	-
132	4	PJ132-04 TB	8	GG	1610	42	13,5	3,24	12,5	26	90	116	-
	8	PJ132-08 TB	8	GG	1610	42	23	3,31	3	26	90	116	-
	12	PJ132-12 TB	2	GG	2012	50	32,5	3,38	0,5	32	-	112	-
	16	PJ132-16 TB	2	GG	2012	50	42	3,45	10	32	-	112	-
	20	PJ132-20 TB	2	GG	2517	65	52	3,77	7	45	-	112	-
140	4	PJ140-04 TB	8	GG	1610	42	13,5	3,24	12,5	26	90	124	-
	8	PJ140-08 TB	8	GG	1610	42	23	3,31	3	26	90	124	-
	12	PJ140-12 TB	7	GG	2517	65	32,5	3,38	12,5	45	120	-	-
	16	PJ140-16 TB	7	GG	2517	65	42	3,45	3	45	120	-	-
	20	PJ140-20 TB	2	GG	2517	65	52	3,77	7	45	-	124	-
160	4	PJ160-04 TB	8	GG	2012	50	13,5	3,24	18,5	32	110	144	-
	8	PJ160-08 TB	8	GG	2012	50	23	3,31	9	32	110	144	-
	12	PJ160-12 TB	8	GG	2517	65	32,5	3,38	12,5	45	120	140	-
	16	PJ160-16 TB	8	GG	2517	65	42	3,45	3	45	120	140	-
	20	PJ160-20 TB	2	GG	2517	65	52	3,77	7	45	-	140	-
180	4	PJ180-04 TB	6	GG	2012	50	13,5	3,24	9,25	32	110	164	-
	8	PJ180-08 TB	6	GG	2012	50	23	3,31	4,5	32	110	164	-
	12	PJ180-12 TB	6	GG	2517	65	32,5	3,38	6,25	45	120	160	-
	16	PJ180-16 TB	6	GG	2517	65	42	3,45	1,5	45	120	160	-
	20	PJ180-20 TB	5	GG	2517	65	52	3,77	3,5	45	120	160	-
200	4	PJ200-04 TB	6	GG	2012	50	13,5	3,24	9,25	32	110	185	-
	8	PJ200-08 TB	6	GG	2012	50	23	3,31	4,5	32	110	185	-
	12	PJ200-12 TB	6	GG	2517	65	32,5	3,38	6,25	45	120	180	-
	16	PJ200-16 TB	6	GG	2517	65	42	3,45	1,5	45	120	180	-
	20	PJ200-20 TB	5	GG	2517	65	52	3,77	3,5	45	120	180	-
224	4	PJ224-04 TB	6	GG	2012	50	13,5	3,24	9,25	32	110	208	-
	8	PJ224-08 TB	6	GG	2012	50	23	3,31	4,5	32	110	208	-
	12	PJ224-12 TB	6	GG	2517	65	32,5	3,38	6,25	45	120	204	-
	16	PJ224-16 TB	6	GG	2517	65	42	3,45	1,5	45	120	204	-
	20	PJ224-20 TB	5	GG	2517	65	52	3,77	3,5	45	120	204	-




Figur 5



Figur 6



Figur 9



Figur 10

### Typ PJ - pro řemeny J/PJ (rozteč drážek 2,34mm) / For belts section J/PJ

Dm	Dráž. Grooves	Označení / Obj.č. Part.No.	Typ Fig.	* Mat.	Pouzdro Bush	Max.díra Max.Bore	B [mm]	F [mm]	K [mm]	L [mm]	N [mm]	J [mm]	d [mm]
250	4	PJ250-04 TB	9	GG	2012	50	13,5	3,24	9,25	32	110	234	-
	8	PJ250-08 TB	9	GG	2012	50	23	3,31	4,5	32	110	234	-
	12	PJ250-12 TB	6	GG	2517	65	32,5	3,38	6,25	45	120	230	-
	16	PJ250-16 TB	6	GG	2517	65	42	3,45	1,5	45	120	230	-
	20	PJ250-20 TB	5	GG	2517	65	52	3,77	3,5	45	120	230	-
280	4	PJ280-04 TB	9	GG	2012	50	13,5	3,24	9,25	32	110	264	-
	8	PJ280-08 TB	9	GG	2012	50	23	3,31	4,5	32	110	264	-
	12	PJ280-12 TB	9	GG	2517	65	32,5	3,38	6,25	45	120	260	-
	16	PJ280-16 TB	9	GG	2517	65	42	3,45	1,5	45	120	260	-
	20	PJ280-20 TB	10	GG	2517	65	52	3,77	3,5	45	120	260	-
315	4	PJ315-04 TB	9	GG	2012	50	13,5	3,24	9,25	32	110	299	-
	8	PJ315-08 TB	9	GG	2012	50	23	3,31	4,5	32	110	299	-
	12	PJ315-12 TB	9	GG	2517	65	32,5	3,38	6,25	45	120	295	-
	16	PJ315-16 TB	9	GG	2517	65	42	3,45	1,5	45	120	295	-
	20	PJ315-20 TB	10	GG	2517	65	52	3,77	3,5	45	120	295	-
355	4	PJ355-04 TB	9	GG	2517	65	13,5	3,24	15,7	45	120	339	-
	8	PJ355-08 TB	9	GG	2517	65	23	3,31	11	45	120	339	-
	12	PJ355-12 TB	9	GG	2517	65	32,5	3,38	6,25	45	120	335	-
	16	PJ355-16 TB	9	GG	3020	75	42	3,45	5	52	146	335	-
	20	PJ355-20 TB	10	GG	3020	75	52	3,77	-	52	146	335	-
400	4	PJ400-04 TB	9	GG	2517	65	13,5	3,24	15,75	45	120	380	-
	8	PJ400-08 TB	9	GG	2517	65	23	3,31	11	45	120	380	-
	12	PJ400-12 TB	9	GG	2517	65	32,5	3,38	6,25	45	120	380	-
	16	PJ400-16 TB	9	GG	3020	75	42	3,45	5	52	146	380	-
	20	PJ400-20 TB	10	GG	3020	75	52	3,77	-	52	146	380	-